




MK...






MK.../1










MKF...










MK.../2





kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,12	14,8	2,7	59	90	1	MK 2/2	41,31	H63b/6	6	16
	18,9	3,5	46	100	1	MK 2/2	32,33	H63b/6	6	16
0,16	21	4,1	47	90	1	MK 2/2	41,31	H63a/4	4	14
	24	4,4	36	85	1	MK 2/2	25,56	H63b/6	6	16
	27	5,2	37	100	1	MK 2/2	32,33	H63a/4	4	14
	31	5,7	28	67	1,5	MK 2/2	20	H63b/6	6	16
	34	6,6	29	85	1	MK 2/2	25,56	H63a/4	4	14
	38	7,2	23	53	1,7	MK 2/2	15,97	H63b/6	6	16
	44	8,5	22	67	1,5	MK 2/2	20	H63a/4	4	14
	49	9,2	17,7	42	2,4	MK 2/2	12,5	H63b/6	6	16
	55	10,6	18	53	1,7	MK 2/2	15,97	H63a/4	4	14
	64	12	13,6	32	2,8	MK 2/2	9,55	H63b/6	6	16
	70	13,6	14	42	2,4	MK 2/2	12,5	H63a/4	4	14
	76	14,2	11,8	27	1,1	MK 2/1	8,08	H63b/6	6	13
	82	15,3	10,7	25	4	MK 2/2	7,48	H63b/6	6	16
	92	17,8	11	32	2,8	MK 2/2	9,55	H63a/4	4	14
	109	21	9,4	27	1,1	MK 2/1	8,08	H63a/4	4	11
	118	23	8,5	25	4	MK 2/2	7,48	H63a/4	4	14
	122	23	7,2	16,9	2,4	MK 2/1	5	H63b/6	6	13
	123	23	7	16,5	6	MK 2/2	4,98	H63b/6	6	16
	176	34	5,8	16,9	2,4	MK 2/1	5	H63a/4	4	11
	177	34	5,7	16,5	6	MK 2/2	4,98	H63a/4	4	14
	196	37	4,5	16,5	4,3	MK 2/1	3,12	H63b/6	6	13
	282	54	3,6	10,5	4,3	MK 2/1	3,12	H63a/4	4	11
	326	61	2,7	6,3	8,7	MK 2/1	1,87	H63b/6	6	13
	471	91	2,2	6,3	8,7	MK 2/1	1,87	H63a/4	4	11
	610	115	1,5	3,5	1	MK 2	-	H63b/6	6	9
	880	170	1,2	3,5	1	MK 2	-	H63a/4	4	8










kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,18	16,7	3	78,5	160	1	MK 5/2	39,49	H71b/6	6	25
	16,7	0	78,5	160	1	MK 5D/2	39,49	H71b/6	6	32
0,25	21	3,8	61,2	180	1	MK 5/2	30,91	H71b/6	6	25
	21	0	61,2	180	1	MK 5D/2	30,91	H71b/6	6	32
	21	4,1	63	90	1	MK 2/2	41,31	H63b/4	4	15
	26	4,7	49,7	160	1	MK 5/2	25,16	H71b/6	6	25
	26	0	49,7	160	1	MK 5D/2	25,16	H71b/6	6	32
	27	5,2	49	100	1	MK 2/2	32,33	H63b/4	4	15
	34	6,6	39	85	1	MK 2/2	25,56	H63b/4	4	15
	34	6	39	150	1	MK 5/2	19,69	H71b/6	6	25
	34	0	39	150	1	MK 5D/2	19,69	H71b/6	6	32
	39	7,1	33	127	1,2	MK 5/2	16,75	H71b/6	6	25
	39	0	33	127	1,2	MK 5D/2	16,75	H71b/6	6	32
	42	8,7	31	90	1,2	MK 2/2	41,31	H63b/2	2	16
	44	8,5	30	67	1,5	MK 2/2	20	H63b/2	2	16
	50	9,2	26	100	1,7	MK 5/2	13,11	H71b/6	6	25
	50	0	26	100	1,7	MK 5D/2	13,11	H71b/6	6	32
	54	11	16,8	92	1,1	MK 2/2	32,33	H63b/2	2	15
	55	10,6	24	53	1,7	MK 2/2	15,97	H63b/4	4	15
	62	11,2	21	81	1,8	MK 5/2	10,63	H71b/6	6	25
	62	0	21	81	1,8	MK 5D/2	10,63	H71b/6	6	32
	69	14	19,4	73	1,2	MK 2/2	25,56	H63b/2	2	15
	70	13,6	19	42	2,4	MK 2/2	12,5	H63b/4	4	15
	79	14,4	16,6	63	2,7	MK 5/2	8,32	H71b/6	6	25
	79	0	16,6	63	2,7	MK 5D/2	8,32	H71b/6	6	32
	85	15,5	15,8	45	1	MK 5/1	7,73	H71b/6	6	22
	85	0	15,8	45	1	MK 5D/1	7,73	H71b/6	6	29
	88	18	15,1	57	1,7	MK 2/2	20	H63b/2	2	15
	92	17,8	14,5	32	2,8	MK 2/2	9,55	H63b/4	4	15
	109	21	12,5	27	1,1	MK 2/1	8,08	H63b/4	4	12
	110	23	12	46	2	MK 2/2	15,97	H63b/2	2	15
	118	23	11,4	25	4	MK 2/2	7,48	H63b/4	4	15
	130	24	10	39	4,4	MK 5/2	5,07	H71b/6	6	25
	130	0	10	39	4,4	MK 5D/2	5,07	H71b/6	6	32
	134	24	9,9	38	1,6	MK 5/1	4,92	H71b/6	6	22
	134	0	9,9	38	1,6	MK 5D/1	4,92	H71b/6	6	29
	140	29	9,4	36	2,8	MK 2/2	12,5	H63b/2	2	15
	176	34	7,8	16,9	2,4	MK 2/1	5	H63b/4	4	12
	177	34	7,6	16,5	6	MK 2/2	4,98	H63b/4	4	15
	183	38	7,2	27	3,3	MK 2/2	9,55	H63b/2	2	15
	201	37	6,6	25	2,8	MK 5/1	3,28	H71b/6	6	22
	201	0	6,6	25	2,8	MK 5D/1	3,28	H71b/6	6	29
	217	45	6,4	24	1,2	MK 2/1	8,08	H63b/2	2	12
	234	48	5,6	21	4,7	MK 2/2	7,48	H63b/2	2	15
	282	54	4,8	10,5	4,3	MK 2/1	3,12	H63b/4	4	12
	317	58	4,3	16,1	4,3	MK 5/1	2,08	H71b/6	6	22
	317	0	4,3	16,1	4,3	MK 5D/1	2,08	H71b/6	6	29
	350	72	5,3	14,5	2,8	MK 2/1	5	H63b/2	2	12
	351	72	5,2	14	7,1	MK 2/2	4,98	H63b/2	2	15
	471	91	2,9	6,3	8,7	MK 2/1	1,87	H63b/4	4	12
	660	120	2,1	8	1	MK 5	-	H71b/6	6	18
	660	0	2,1	8	1	MK 5D	-	H71b/6	6	25
	880	170	1,6	3,5	1	MK 2	-	H63b/4	4	9
	936	193	1,4	5,4	10	MK 2/1	1,87	H63b/2	2	12
	1750	360	0,8	3	1	MK 2	-	H63b/4	2	8










kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>0,25</b>	16,7	3	109	160	1	MK 5/2	39,49	H71b/6	6	25
	16,7	0	109	160	1	MK 5D/2	39,49	H71b/6	6	32
<b>0,33</b>	21	3,8	85	180	1	MK 5/2	30,91	H71b/6	6	25
	21	0	85	180	1	MK 5D/2	30,91	H71b/6	6	32
	26	4,7	69	160	1	MK 5/2	25,16	H71b/6	6	25
	26	0	69	160	1	MK 5D/2	25,16	H71b/6	6	32
	32	6,1	56	180	1	MK 5/2	30,91	H71a/4	4	24
	32	0	56	180	1	MK 5D/2	30,91	H71a/4	4	31
	34	6	54	150	1,1	MK 5/2	19,69	H71b/6	6	25
	34	0	54	150	1,1	MK 5D/2	19,69	H71b/6	6	32
	39	7,1	46	127	1,2	MK 5/2	16,75	H71b/6	6	25
	39	0	46	127	1,2	MK 5D/2	16,75	H71b/6	6	32
	40	7,5	45	160	1	MK 5/2	25,16	H71a/4	4	24
	40	0	45	160	1	MK 5D/2	25,16	H71a/4	4	31
	42	8,7	43	90	1	MK 2/2	41,31	H63b/2	2	15
	50	9,2	36	100	1,7	MK 5/2	13,11	H71b/6	6	25
	50	0	36	100	1,7	MK 5D/2	13,11	H71b/6	6	32
	51	9,7	36	150	1,1	MK 5/2	19,69	H71a/4	4	24
	51	0	36	150	1,1	MK 5D/2	19,69	H71a/4	4	31
	54	11	24	92	1,1	MK 2/2	32,33	H63b/2	2	15
	60	11,3	30	127	1,2	MK 5/2	16,75	H71a/4	4	24
	60	0	30	127	1,2	MK 5D/2	16,75	H71a/4	4	31
	62	11,2	29	81	1,8	MK 5/2	10,63	H71b/6	6	25
	62	0	29	81	1,8	MK 5D/2	10,63	H71b/6	6	32
	69	14	27	73	1,2	MK 2/2	25,56	H63b/2	2	15
	76	14,4	24	100	1,7	MK 5/2	13,11	H71a/4	4	24
	76	0	24	100	1,7	MK 5D/2	13,11	H71a/4	4	31
	79	14,4	23	63	2,7	MK 5/2	8,32	H71b/6	6	25
	79	0	23	63	2,7	MK 5D/2	8,32	H71b/6	6	32
	85	15,5	22	45	1	MK 5/1	7,73	H71b/6	6	22
	85	0	22	45	1	MK 5D/1	7,73	H71b/6	6	29
	88	18	21	57	1,7	MK 2/2	20	H63b/2	2	15
	94	17,8	19,2	81	1,8	MK 5/2	10,63	H71a/4	4	24
	94	0	19,2	81	1,8	MK 5D/2	10,63	H71a/4	4	31
	110	23	16,7	46	2	MK 2/2	15,97	H63b/2	2	15
	118	23	15,6	25	4	MK 2/2	7,48	H63c/4	4	16
	120	23	15	63	2,7	MK 5/2	8,32	H71a/4	4	24
	120	0	15	63	2,7	MK 5D/2	8,32	H71a/4	4	31
	129	25	14,2	45	1	MK 5/1	7,73	H71a/4	4	21
	129	0	14,2	45	1	MK 5D/1	7,73	H71a/4	4	28
	130	24	14	39	4,4	MK 5/2	5,07	H71b/6	6	25
	130	0	14	39	4,4	MK 5D/2	5,07	H71b/6	6	32
	134	24	13,8	38	1,6	MK 5/1	4,92	H71b/6	6	22
	134	0	13,8	38	1,6	MK 5D/1	4,92	H71b/6	6	29
	140	29	13,1	36	2,8	MK 2/2	12,5	H63b/2	2	15
	183	38	10	27	3,3	MK 2/2	9,55	H63b/2	2	15
	197	37	9,2	39	4,4	MK 5/2	5,07	H71a/4	4	24
	197	0	9,2	39	4,4	MK 5D/2	5,07	H71a/4	4	31
	201	37	9,2	25	2,8	MK 5/1	3,28	H71b/6	6	22
	201	0	9,2	25	2,8	MK 5D/1	3,28	H71b/6	6	29
	203	39	9,1	38	1,6	MK 5/1	4,92	H71a/4	4	21
	203	0	9,1	38	1,6	MK 5D/1	4,92	H71a/4	4	28
	217	45	8,9	24	1,2	MK 2/1	8,08	H63b/2	2	12







kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,25 0,33	234	48	7,8	21	4,7	MK 2/2	7,48	H63b/2	2	15
	282	54	6,7	10,5	4,3	MK 2/1	3,12	H63c/4	4	13
	305	58	6	25	2,8	MK 5/1	3,28	H71a/4	4	21
	305	0	6	25	2,8	MK 5D/1	3,28	H71a/4	4	28
	317	58	5,9	16,1	4,3	MK 5/1	2,08	H71b/6	6	22
	317	0	5,9	16,1	4,3	MK 5D/1	2,08	H71b/6	6	29
	350	72	5,3	14,5	2,8	MK 2/1	5	H63b/2	2	12
	351	72	5,2	14	7,1	MK 2/2	4,98	H63b/2	2	15
	471	91	4	6,3	8,7	MK 2/1	1,87	H63c/4	4	13
	481	91	3,8	16,1	4,3	MK 5/1	2,08	H71a/4	4	21
	481	0	3,8	16,1	4,3	MK 5D/1	2,08	H71a/4	4	28
	561	115	3,3	9	5	MK 2/1	3,12	H63b/2	2	12
	660	120	2,9	8	1	MK 5	-	H71b/6	6	18
	660	0	2,9	8	1	MK 5D	-	H71b/6	6	25
	880	170	2,2	3,5	1	MK 2	-	H63c/4	4	9
	936	193	2	5,4	10	MK 2/1	1,87	H63b/2	2	12
1000	190	1,9	8	1	MK 5	-	H71a/4	4	17	
1000	0	1,9	8	1	MK 5D	-	H71a/4	4	25	
1750	360	1,1	3	1	MK 2	-	H63b/2	2	8	
0,37 0,5	16,7	3	160	160	1	MK 5/2	39,49	H71c/6	6	25
	16,9	0	160	160	1	MK 5D/2	39,49	H71c/6	6	32
	16,9	3	163	350	1	MK 10/2	39,09	H80a/6	6	40
	16,9	0	163	350	1	MK 10D/2	39,09	H80a/6	6	49
	21	3,8	131	350	1	MK 10/2	31,27	H80a/6	6	40
	21	0	131	350	1	MK 10D/2	31,27	H80a/6	6	49
	21	3,8	129	180	1	MK 5/2	30,91	H71c/6	6	25
	21	0	129	180	1	MK 5D/2	30,91	H71c/6	6	32
	25	4,8	105	160	1	MK 5/2	39,49	H71b/4	4	24
	25	0	105	160	1	MK 5D/2	39,49	H71b/4	4	31
	26	4,7	105	160	1	MK 5/2	25,16	H71c/6	6	25
	26	0	105	160	1	MK 5D/2	25,16	H71c/6	6	32
	26	4,7	106	350	1	MK 10/2	25,32	H80a/6	6	40
	26	0	106	350	1	MK 10D/2	25,32	H80a/6	6	49
	32	6,1	82	180	1	MK 5/2	30,91	H71b/4	4	24
	32	0	82	180	1	MK 5D/2	30,91	H71b/4	4	31
	33	5,9	85	289	1,2	MK 10/2	20,25	H80a/6	6	40
	33	0	85	289	1,2	MK 10D/2	20,25	H80a/6	6	49
	34	6	82	150	1,1	MK 5/2	19,69	H71c/6	6	25
	34	0	82	150	1,1	MK 5D/2	19,69	H71c/6	6	32
	39	7,1	70	127	1,2	MK 5/2	16,75	H71c/6	6	25
	39	0	70	127	1,2	MK 5D/2	16,75	H71c/6	6	32
	40	7,3	68	233	1,5	MK 10/2	16,32	H80a/6	6	40
	40	0	68	233	1,5	MK 10D/2	16,32	H80a/6	6	49
	40	7,5	67	160	1	MK 5/2	25,16	H71b/4	4	24
	40	0	67	160	1	MK 5D/2	25,16	H71b/4	4	31
	42	8,7	63	90	1	MK 2/2	41,31	H63c/2	2	15
	50	9,2	55	100	1,7	MK 5/2	13,11	H71c/6	6	25
	50	0	55	100	1,7	MK 5D/2	13,11	H71c/6	6	32
	51	9,2	55	186	1,9	MK 10/2	13,05	H80a/6	6	40
	51	0	55	186	1,9	MK 10D/2	13,05	H80a/6	6	49
	51	9,7	52	149	1,1	MK 5/2	19,69	H71b/4	4	24
	51	0	52	149	1,1	MK 5D/2	19,69	H71b/4	4	31
	54	11	49	92	1,1	MK 2/2	32,33	H63c/2	2	15
	60	11,3	45	127	1,2	MK 5/2	16,75	H71b/4	4	24
	60	0	45	127	1,2	MK 5D/2	16,75	H71b/4	4	31
62	11,2	44	81	1,8	MK 5/2	10,63	H71c/6	6	25	
62	0	44	81	1,8	MK 5D/2	10,63	H71c/6	6	32	
67	12,2	41	140	2,5	MK 10/2	9,79	H80a/6	6	40	
67	0	41	140	2,5	MK 10D/2	9,79	H80a/6	6	49	
69	14	39	73	1,2	MK 2/2	25,56	H63c/2	2	15	
76	14,4	35	100	1,7	MK 5/2	13,11	H71b/4	4	24	
76	0	35	100	1,7	MK 5D/2	13,11	H71b/4	4	31	




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,37	77	14,1	36	121	2,6	MK 10/2	8,5	H80a/6	6	40
	77	0	36	121	2,6	MK 10D/2	8,5	H80a/6	6	49
0,5	79	14,4	35	63	2,7	MK 5/2	8,32	H71c/6	6	25
	79	0	35	63	2,7	MK 5D/2	8,32	H71c/6	6	32
	85	15,3	33	90	1	MK 10/1	7,81	H80a/6	6	34
	85	0	33	90	1	MK 10D/1	7,81	H80a/6	6	43
	85	15,5	33	45	1	MK 5/1	7,73	H71c/6	6	22
	85	0	33	45	1	MK 5D/1	7,73	H71c/6	6	29
	88	18	30	57	1,7	MK 2/2	20	H63c/2	2	15
	94	17,8	28	21	1,8	MK 5/2	10,63	H71b/4	4	24
	94	0	28	81	1,8	MK 5D/2	10,63	H71b/4	4	31
	97	17,6	28	97	3,6	MK 10/2	6,8	H80a/6	6	40
	97	0	28	97	3,6	MK 10D/2	6,8	H80a/6	6	49
	110	23	24	46	2	MK 2/2	15,97	H63c/2	2	15
	120	23	22	63	2,7	MK 5/2	8,32	H71b/4	4	24
	120	0	22	63	2,7	MK 5D/2	8,32	H71b/4	4	31
	129	25	21	45	1	MK 5/1	7,73	H71b/4	4	21
	129	0	21	45	1	MK 5D/1	7,73	H71b/4	4	28
	129	24	21	73	4,8	MK 10/2	5,1	H80a/6	6	40
	129	0	21	73	4,8	MK 10D/2	5,1	H80a/6	6	49
	130	24	21	39	4,4	MK 5/2	5,07	H71c/6	6	25
	130	0	21	39	4,4	MK 5D/2	5,07	H71c/6	6	32
	130	24	22	74	1,2	MK 10/1	5,06	H80a/6	6	34
	130	0	22	74	1,2	MK 10D/1	5,06	H80a/6	6	43
	134	24	21	38	1,6	MK 5/1	4,92	H71c/6	6	22
	134	0	21	38	1,6	MK 5D/1	4,92	H71c/6	6	29
	140	29	19	36	2,8	MK 2/2	12,5	H63c/2	2	15
	183	38	14,5	27	3,3	MK 2/2	9,55	H63c/2	2	15
	197	37	13,5	39	4,4	MK 5/2	5,07	H71b/4	4	24
	197	0	13,5	39	4,4	MK 5D/2	5,07	H71b/4	4	31
	201	37	14	25	2,8	MK 5/1	3,28	H71c/6	6	22
	201	0	14	25	2,8	MK 5D/1	3,28	H71c/6	6	29
	203	39	13,4	38	1,6	MK 5/1	4,92	H71b/4	4	21
	203	0	13,4	38	1,6	MK 5D/1	4,92	H71b/4	4	28
	203	37	13,9	47	2,1	MK 10/1	3,26	H80a/6	6	34
	203	0	13,9	47	2,1	MK 10D/1	3,26	H80a/6	6	43
	217	45	12,5	24	1,2	MK 2/1	8,08	H63c/2	2	12
	234	48	11,4	21	4,8	MK 2/2	7,48	H63c/2	2	15
	305	58	8,9	25	2,8	MK 5/1	3,28	H71b/4	4	21
	305	0	8,9	25	2,8	MK 5D/1	3,28	H71b/4	4	28
	317	58	8,9	16,1	4,3	MK 5/1	2,08	H71c/6	6	22
	317	0	8,9	16,1	4,3	MK 5D/1	2,08	H71c/6	6	29
	350	72	7,8	14,5	2,8	MK 2/1	5	H63c/2	2	12
	351	72	7,6	14	7,1	MK 2/2	4,98	H63c/2	2	15
	388	71	7,3	25	4	MK 10/1	1,7	H80a/6	6	34
	388	0	7,3	25	4	MK 10D/1	1,7	H80a/6	6	43
	481	91	5,6	16,1	4,3	MK 5/1	2,08	H71b/4	4	21
	481	0	5,6	16,1	4,3	MK 5D/1	2,08	H71b/4	4	28
	561	115	4,8	9	5	MK 2/1	3,12	H63c/2	2	12
	660	120	4,4	15	1	MK 10	-	H80a/6	6	29
	660	0	4,4	15	1	MK 10D	-	H80a/6	6	38
	660	120	4,4	8	1	MK 5	-	H71c/6	6	18
	660	0	4,4	8	1	MK 5D	-	H71c/6	6	18
	936	193	2,9	5,4	10	MK 2/1	1,87	H63c/2	2	12
	1000	190	2,8	8	1	MK 5	-	H71b/4	4	17
	1000	0	2,8	8	1	MK 5D	-	H71b/4	4	24
	1750	360	1,6	3	1	MK 2	-	H63c/2	2	8




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,55	16,9	3	241	350	1	MK 10/2	39,09	H80b/6	6	41
	16,9	0	241	350	1	MK 10D/2	39,09	H80b/6	6	50
0,75	21	3,8	193	350	1	MK 10/2	31,27	H80b/6	6	41
	21	0	193	350	1	MK 10D/2	31,27	H80b/6	6	50
26	26	4,7	156	350	1	MK 10/2	25,32	H80b/6	6	41
	26	0	156	350	1	MK 10D/2	25,32	H80b/4	6	50
26	26	4,8	160	350	1	MK 10/2	39,09	H80a/4	4	40
	26	0	160	350	1	MK 10D/2	39,09	H80a/4	4	49
32	32	6	128	350	1	MK10/2	31,27	H80a/4	4	40
	32	0	128	350	1	MK 10D/2	31,27	H80a/4	4	49
33	33	5,9	125	289	1,2	MK 10/2	20,25	H80b/6	6	41
	33	0	125	289	1,2	MK 10D/2	20,25	H80b/6	6	50
40	40	7,5	103	350	1	MK 10/2	25,32	H80a/4	4	40
	40	0	103	350	1	MK 10D/2	25,32	H80a/4	4	49
40	40	7,3	101	233	1,5	MK 10/2	16,32	H80b/6	6	41
	40	0	101	233	1,5	MK 10D/2	16,32	H80b/6	6	50
49	49	9,3	83	289	1,2	MK 10/2	20,25	H80a/4	4	40
	49	0	83	289	1,2	MK 10D/2	20,25	H80a/4	4	49
51	51	9,3	83	160	1	MK 5/2	39,49	H71b/2	2	25
	51	0	83	160	1	MK 5D/2	39,49	H71b/2	2	32
51	51	9,2	81	186	1,9	MK 10/2	13,05	H80b/6	6	41
	51	0	81	186	1,9	MK 10D/2	13,05	H80b/6	6	50
61	61	11,6	67	233	1,5	MK 10/2	16,32	H80a/4	4	40
	61	0	67	233	1,5	MK 10D/2	16,32	H80a/4	4	49
65	65	12,2	65	176	1	MK 5/2	30,91	H71b/2	2	25
	65	0	65	176	1	MK 5D/2	30,91	H71b/2	2	32
67	67	12,2	61	140	2,5	MK 10/2	9,79	H80b/6	6	41
	67	0	61	140	2,5	MK 10D/2	9,79	H80b/6	6	50
77	77	14,5	53	186	1,9	MK 10/2	13,05	H80a/4	4	40
	77	0	53	186	1,9	MK 10D/2	13,05	H80a/4	4	49
78	78	14,1	53	121	2,6	MK 10/2	8,5	H80b/6	6	41
	78	0	53	121	2,6	MK 10D/2	8,5	H80b/6	6	50
80	80	15,1	53	143	1,1	MK 5/2	25,16	H71b/2	2	25
	80	0	53	143	1,1	MK 5D/2	25,16	H71b/2	2	32
85	85	15,3	49	90	1	MK 10/1	7,81	H80b/6	6	35
	85	0	49	90	1	MK 10D/1	7,81	H80b/6	6	35
97	97	17,6	42	97	3,6	MK 10/2	6,8	H80b/6	6	41
	97	0	42	97	3,6	MK 10D/2	6,8	H80b/6	6	50
102	102	19,2	41	112	1,5	MK 5/2	19,69	H71b/2	2	25
	102	0	41	112	1,5	MK 5D/2	19,69	H71b/2	2	32
102	102	19,4	40	140	2,5	MK 10/2	9,79	H80a/4	4	40
	102	0	40	140	2,5	MK 10D/2	9,79	H80a/4	4	49
118	118	22	35	121	2,6	MK 10/2	8,5	H80a/4	4	40
	118	0	35	121	2,6	MK 10D/2	8,5	H80a/4	4	49
119	119	23	35	95	1,6	MK 5/2	16,75	H71b/2	2	25
	119	0	35	95	1,6	MK 5D/2	16,75	H71b/2	2	32
128	128	24	33	90	1	MK 10/1	7,81	H80a/4	4	34
	128	0	33	90	1	MK 10D/1	7,81	H80a/4	4	43
129	129	24	32	73	4,8	MK 10/2	5,1	H80b/6	6	41
	129	0	32	73	4,8	MK 10D/2	5,1	H80b/6	6	50
130	130	24	32	74	1,2	MK 10/1	5,06	H80b/6	6	35
	130	0	32	74	1,2	MK 10D/1	5,06	H80b/6	6	44
147	147	28	28	97	3,6	MK 10/2	6,8	H80a/4	4	40
	147	0	28	97	3,6	MK 10D/2	6,8	H80a/4	4	49
153	153	29	27	75	2,3	MK 5/2	13,11	H71b/2	4	25
	153	0	27	75	2,3	MK 5D/2	13,11	H71b/2	4	25
188	188	36	22	61	2,5	MK 5/2	10,63	H71b/2	2	25
	188	0	22	61	2,5	MK 5D/2	10,63	H71b/2	2	32
196	196	37	21	73	4,8	MK 10/2	5,1	H80a/4	4	40
	196	0	21	73	4,8	MK 10D/2	5,1	H80a/4	4	49
198	198	38	21	74	1,2	MK 10/1	5,06	H80a/4	4	34
	198	0	21	74	1,2	MK 10D/1	5,08	H80a/4	4	43
203	203	37	21	47	2,1	MK 10/1	3,26	H80b/6	6	35
	203	0	21	47	2,1	MK 10D/1	3,26	H80b/6	6	44
240	240	46	17,4	47	3,6	MK 5/2	8,32	H71b/2	2	25
	240	0	17,4	47	3,6	MK 5D/2	8,32	H71b/2	2	32




MKF...







MK.../1




MK.../2




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
0,55 0,75	259	49	16,5	45	1	MK 5/1	7,73	H71b/2	2	22
	259	0	16,5	45	1	MK 5D/1	7,73	H71b/2	2	29
	307	58	13,6	47	2,1	MK 10/1	3,26	H80a/4	4	34
	307	0	13,6	47	2,1	MK 10D/1	3,26	H80a/4	4	43
	388	71	10,7	25	4	MK 10/1	1,7	H80b/6	6	35
	388	0	10,7	25	4	MK 10D/1	1,7	H80b/6	6	44
	395	75	10,6	29	5,8	MK 5/2	5,07	H71b/2	2	25
	395	0	10,6	29	5,8	MK 5D/2	5,07	H71b/2	2	32
	407	77	10,5	29	2,1	MK 5/1	4,92	H71b/2	2	22
	407	0	10,5	29	2,1	MK 5D/1	4,92	H71b/2	2	29
	588	112	7,1	25	4	MK 10/1	1,7	H80a/4	4	34
	588	0	7,1	25	4	MK 10D/1	1,7	H80a/4	4	43
	610	116	7	19	3,7	MK 5/1	3,28	H71b/2	2	22
	610	0	7	19	3,7	MK 5D/1	3,28	H71b/2	2	29
660	120	6,5	15	1	MK 10	-	H80b/6	6	30	
660	0	6,5	15	1	MK 10D	-	H80b/6	6	39	
962	183	4,4	12,1	5,8	MK 5/1	2,08	H71b/2	2	22	
962	0	4,4	12,1	5,8	MK 5D/1	2,08	H71b/2	2	29	
1000	190	4,3	15	1	MK 10	-	H80a/4	4	28	
1000	0	4,3	15	1	MK 10D	-	H80a/4	4	37	
2000	380	2,2	6	1	MK 5	-	H71b/2	2	18	
2000	0	2,2	6	1	MK 5D	-	H71b/2	2	25	
0,75 1	17,3	3,1	316	820	,9	MK 20/2	38,25	H90Sa/6	6	67
	17,3	0	316	820	,9	MK 20D/2	38,25	H90Sa/6	6	77
	22	3,9	253	800	1	MK 20/2	30,62	H90Sa/6	6	67
	22	0	253	800	1	MK 20D/2	30,62	H90Sa/6	6	67
	26	4,7	211	700	1	MK 20/2	25,5	H90Sa/6	6	67
	26	0	211	700	1	MK 20D/2	25,5	H90Sa/6	6	67
	26	4,8	215	350	1	MK 10/2	39,09	H80b/4	4	40
	26	0	215	350	1	MK 10D/2	39,09	H80b/4	4	40
	32	5,8	169	582	1,4	MK 20/2	20,42	H90Sa/6	6	67
	32	0	169	582	1,4	MK 20D/2	20,42	H90Sa/6	6	67
	32	6	172	350	1	MK 10/2	31,27	H80b/4	4	40
	32	0	172	350	1	MK 10D/2	31,27	H80b/4	4	49
	40	7,5	140	350	1	MK 10/2	25,32	H80b/4	4	40
	40	0	140	350	1	MK 10D/2	25,32	H80b/4	4	49
	41	7,4	133	457	1,5	MK 20/2	16,03	H90Sa/6	6	67
	41	0	133	457	1,5	MK 20D/2	16,03	H90Sa/6	6	67
	49	9,3	112	289	1,2	MK 10/2	20,25	H80b/4	4	40
	49	0	112	289	1,2	MK 10D/2	20,25	H80b/4	4	40
	51	9,6	105	160	1	MK 5/2	39,49	H71c/2	2	25
	51	0	105	160	1	MK 5D/2	39,49	H71c/2	2	32
	51	9,3	106	366	2	MK 20/2	12,83	H90Sa/6	6	67
	51	0	106	366	2	MK 20D/2	12,83	H90Sa/6	6	77
	61	11,6	90	233	1,5	MK 10/2	16,32	H80b/4	4	40
	61	0	90	233	1,5	MK 10D/2	16,32	H80b/4	4	49
	65	12,2	82	176	1	MK 5/2	30,91	H71c/2	2	25
	65	0	82	176	1	MK 5D/2	30,91	H71c/2	2	32
	69	12,4	80	275	2,7	MK 20/2	9,64	H90Sa/6	6	67
	69	0	80	275	2,7	MK 20D/2	9,64	H90Sa/6	6	77
	77	14,5	72	186	1,9	MK 10/2	13,05	H80b/4	4	40
	77	0	72	186	1,9	MK 10D/2	13,05	H80b/4	4	49
	79	14,3	69	238	3	MK 20/2	8,34	H90Sa/6	6	67
	79	0	69	238	3	MK 20D/2	8,34	H90Sa/6	6	77
80	15,1	67	143	1,1	MK 5/2	25,16	H71c/2	2	25	
80	0	67	143	1,1	MK 5D/2	25,16	H71c/2	2	32	
88	16	63	150	1	MK 20/1	7,5	H90Sa/6	6	67	
88	0	63	150	1	MK 20D/1	7,5	H90Sa/6	6	77	
99	17,9	55	190	3,9	MK 20/2	6,68	H90Sa/6	6	67	
99	0	55	190	3,9	MK 20D/2	6,68	H90Sa/6	6	77	
102	19,2	52	112	1,5	MK 5/2	19,68	H71c/2	2	25	
102	0	52	112	1,5	MK 5D/2	19,68	H71c/2	2	32	
102	19,4	54	140	2,5	MK 10/2	9,79	H80b/4	4	40	
102	0	54	140	2,5	MK 10D/2	9,79	H80b/4	4	49	
118	22	47	121	2,6	MK 10/2	8,5	H80b/4	4	40	
118	0	47	121	2,6	MK 10D/2	8,5	H80b/4	4	49	
119	23	45	95	1,6	MK 5/2	16,75	H71c/2	2	25	
119	0	45	95	1,6	MK 5D/2	16,75	H71c/2	2	32	




MKF...







MK.../1










MK.../2










kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>0,75</b> <b>1</b>	128	24	44	90	1	MK 10/1	7,81	H80b/4	4	40
	128	0	44	90	1	MK 10D/1	7,81	H80b/4	4	49
	132	24	42	146	1,4	MK 20/1	5	H90Sa/6	6	67
	132	0	42	146	1,4	MK 20D/1	5	H90Sa/6	6	77
	132	24	42	143	5	MK 20/2	5,02	H90Sa/6	6	67
	132	0	42	143	5	MK 20D/2	5,02	H90Sa/6	6	77
	147	28	38	97	3,6	MK 10/2	6,8	H80b/4	4	40
	147	0	38	97	3,6	MK 10D/2	6,8	H80b/4	4	49
	153	29	35	75	2,3	MK 5/2	13,11	H71c/2	2	25
	153	0	35	75	2,3	MK 5D/2	13,11	H71c/2	2	32
	188	36	28	61	2,5	MK 5/2	10,63	H71c/2	2	25
	188	0	28	61	2,5	MK 5D/2	10,63	H71c/2	2	32
	196	37	28	73	4,8	MK 10/2	5,1	H80b/4	4	40
	196	0	28	73	4,8	MK 10D/2	5,1	H80b/4	4	49
	198	38	29	74	1,2	MK 10/1	5,06	H80b/4	4	34
	198	0	29	74	1,2	MK 10D/1	5,06	H80b/4	4	43
	210	38	27	91	2,2	MK 20/1	3,14	H90Sa/6	6	67
	210	0	27	91	2,2	MK 20D/1	3,14	H90Sa/6	6	77
	240	46	22	47	3,6	MK 5/2	8,32	H71c/2	2	25
	240	0	22	47	3,6	MK 5D/2	8,32	H71c/2	2	32
259	49	21	45	1	MK 5/1	7,73	H71c/2	2	22	
259	0	21	45	1	MK 5D/1	7,73	H71c/2	2	29	
307	58	18,3	47	2,1	MK 10/1	3,26	H80b/4	4	34	
307	0	18,3	47	2,1	MK 10D/1	3,26	H80b/4	4	43	
395	75	13,5	29	5,9	MK 5/2	5,07	H71c/2	2	25	
395	0	13,5	29	5,9	MK 5D/2	5,07	H71c/2	2	32	
405	74	13,8	47	4,2	MK 20/1	1,63	H90Sa/6	6	60	
405	0	13,8	47	4,2	MK 20D/1	1,63	H90Sa/6	6	70	
407	77	13,4	29	2,1	MK 5/1	4,92	H71c/2	2	22	
407	0	13,4	29	2,1	MK 5D/1	4,92	H71c/2	2	29	
588	112	9,6	25	4	MK 10/1	1,7	H80b/4	4	34	
588	0	9,6	25	4	MK 10D/1	1,7	H80b/4	4	43	
610	116	8,9	19	3,7	MK 5/1	3,28	H71c/2	2	22	
610	0	8,9	19	3,7	MK 5D/1	3,28	H71c/2	2	29	
660	120	8,7	30	1	MK 20	-	H90Sa/6	6	50	
660	0	8,7	30	1	MK 20D	-	H90Sa/6	6	60	
962	183	5,6	12,1	5,8	MK 5/1	2,08	H71c/2	2	22	
962	0	5,6	12,1	5,8	MK 5D/1	2,08	H71c/2	2	29	
1000	190	5,8	15	1	MK 10	-	H80b/4	4	30	
1000	0	5,8	15	1	MK 10D	-	H80b/4	4	39	
2000	380	2,8	6	1	MK 5	-	H71c/2	2	18	
2000	0	2,8	6	1	MK 5D	-	H71c/2	2	25	
<b>1,1</b> <b>1,5</b>	17,3	3,1	472	720	1	MK 20/2	38,25	H90Lb/6	6	70
	17,3	0	472	720	1	MK 20D/2	38,25	H90Sa/6	6	80
	22	3,9	378	800	1	MK 20/2	30,62	H90Lb/6	6	70
	22	0	378	800	1	MK 20D/2	30,62	H90Lb/6	6	80
	26	4,7	315	700	1	MK 20/2	25,50	H90Lb/6	6	70
	26	0	315	700	1	MK 20D/2	25,50	H90Lb/6	6	80
	26	4,9	313	720	1	MK 20/2	38,25	H90Sa/4	4	68
	26	0	313	720	1	MK 20D/2	38,25	H90Sa/4	4	78
	32	5,8	252	582	1,4	MK 20/2	20,42	H90Lb/6	6	70
	32	0	252	582	1,4	MK 20D/2	20,42	H90Lb/6	6	80
	33	6,2	250	800	1	MK 20/2	30,62	H90Sa/4	4	68
	33	0	250	800	1	MK 20D/2	30,62	H90Sa/4	4	78
	39	7,4	208	700	1	MK 20/2	25,5	H90Sa/4	4	68
	39	0	208	700	1	MK 20D/2	25,5	H90Sa/4	4	78
	41	7,4	198	457	1,5	MK 20/2	16,03	H90Lb/6	6	70
	41	0	198	457	1,5	MK 20D/2	16,03	H90Lb/6	6	80
	49	9,3	167	582	1,4	MK 20/2	20,42	H90Sa/4	4	68
	49	0	167	582	1,4	MK 20D/2	20,42	H90Sa/4	4	78
51	9,7	160	350	1	MK 10/2	39,09	H80b/2	2	42	
51	0	160	350	1	MK 10D/2	39,09	H80b/2	2	51	
51	9,3	159	366	2	MK 20/2	12,83	H90Lb/6	6	70	
51	0	159	366	2	MK 20D/2	12,83	H90Lb/6	6	80	
62	11,8	131	457	1,5	MK 20/2	16,03	H90Sa/4	4	68	
62	0	131	457	1,5	MK 20D/2	16,03	H90Sa/4	4	78	







kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
1,1	64	12,1	128	350	1	MK 10/2	31,27	H80b/2	2	42
	64	0	128	350	1	MK 10D/2	31,27	H80b/2	2	51
1,5	69	12,4	119	275	2,7	MK 20D/2	9,64	H90Lb/6	6	70
	69	0	119	275	2,7	MK 20D/2	9,64	H90Lb/6	6	80
78	14,8	105	366	2	MK 20/2	12,83	H90Sa/4	4	68	
	0	105	366	2	MK 20D/2	12,83	H90Sa/4	4	78	
79	14,3	103	238	2,9	MK 20/2	8,34	H90Lb/6	6	70	
	0	103	238	2,9	MK 20D/2	8,34	H90Lb/6	6	80	
79	15	103	289	1,2	MK 10/2	25,32	H80b/2	2	42	
	0	103	289	1,2	MK 10D/2	25,32	H80b/2	2	51	
88	16	95	140	1	MK 20/1	7,5	H90Lb/6	6	70	
	0	95	140	1	MK 20D/1	7,5	H90Lb/6	6	80	
99	18,7	83	231	1,5	MK 10/2	20,25	H80b/2	2	42	
	0	83	231	1,5	MK 10D/2	20,25	H80b/2	2	51	
99	17,9	83	190	3,9	MK 20/2	6,68	H90Lb/6	6	70	
	0	83	190	3,9	MK 20D/2	6,88	H90Lb/6	6	80	
104	19,7	79	275	2,7	MK 20/2	9,64	H90Sa/4	4	68	
	0	79	275	2,7	MK 20D/2	9,64	H90Sa/4	4	78	
120	23	68	238	2,9	MK 20/2	8,34	H90Sa/4	4	68	
	0	68	238	2,9	MK 20D/2	8,34	H90Sa/4	4	78	
123	23	67	186	1,9	MK 10/2	16,32	H80b/2	2	42	
	0	67	186	1,9	MK 10D/2	16,32	H80b/2	2	51	
132	24	63	146	1,4	MK 20/1	5	H90Lb/6	6	70	
	0	63	146	1,4	MK 20D/1	5	H90Lb/6	6	80	
132	24	62	143	5,2	MK 20/2	5,02	H90Lb/6	6	70	
	0	62	143	5,2	MK 20D/2	5,02	H90Lb/6	6	80	
133	25	63	150	1	MK 20/1	7,5	H90Sa/4	4	68	
	0	63	150	1	MK 20D/1	7,5	H90Sa/4	4	78	
150	28	55	190	3,9	MK 20/2	6,68	H90Sa/4	4	68	
	0	55	190	3,9	MK 20D/2	6,68	H90Sa/4	4	80	
153	29	53	149	2,3	MK 10/2	13,05	H80b/2	2	42	
	0	53	149	2,3	MK 10D/2	13,05	H80b/2	2	51	
165	30	50	115	1,5	MK 20/1	4	H90Lb/6	6	70	
	0	50	115	1,5	MK 20D/1	4	H90Lb/6	6	80	
199	38	41	143	5,2	MK 20/2	5,02	H90Sa/4	4	68	
	0	41	143	5,2	MK 20D/2	5,02	H90Sa/4	4	78	
200	38	42	146	1,4	MK 20/1	5	H90Sa/4	4	61	
	0	42	146	1,4	MK 20D/1	5	H90Sa/4	4	71	
204	39	40	112	3,1	MK 10/2	9,79	H80b/2	2	42	
	0	40	112	3,1	MK 10D/2	9,79	H80b/2	2	51	
210	38	40	91	2,2	MK 20/1	3,14	H90Lb/6	6	63	
	0	40	91	2,2	MK 20D/1	3,14	H90Lb/6	6	73	
235	45	35	97	3,3	MK 10/2	8,5	H80b/2	2	42	
	0	35	97	3,3	MK 10D/2	8,5	H80b/2	2	51	
250	47,5	33	115	1,3	MK 20/1	4	H90Sa/4	4	68	
	0	33	115	1,3	MK 20D/1	4	H90Sa/4	4	78	
256	49	33	90	1	MK 10/1	7,81	H80b/2	2	36	
	0	33	90	1	MK 10D/1	7,81	H80b/2	2	45	
264	48	31	72	2,5	MK 20/1	2,5	H90Lb/6	6	70	
	48	31	72	2,5	MK 20D/1	2,5	H90Lb/6	6	80	
294	56	29	78	4,5	MK 10/2	6,8	H80b/2	2	42	
	0	29	78	4,5	MK 10D/2	6,8	H80b/2	2	51	
319	61	26	91	2,2	MK 20/1	3,14	H90Sa/4	4	61	
	0	26	91	2,2	MK 20D/1	3,44	H90Sa/4	4	71	
330	60	25	57	3,1	MK 20/1	2	H90Lb/6	6	70	
	0	25	57	3,1	MK 20D/1	2	H90Lb/6	6	80	
392	75	21	58	6	MK 10/2	5,1	H80b/2	2	42	
	0	21	58	6	MK 10D/2	5,1	H80b/2	2	51	
395	75	21	59	1,5	MK 10/1	5,06	H80b/2	2	36	
	0	21	59	1,5	MK 10D/1	5,06	H80b/2	2	45	
400	76	21	72	2,4	MK 20/1	2,5	H90Sa/4	4	68	
	0	21	72	2,4	MK 20D/1	2,5	H90Sa/4	4	78	
405	74	21	47	4,2	MK 20/1	1,63	H90Lb/6	6	63	
	0	21	47	4,2	MK 20D/1	1,63	H90Lb/6	6	73	
496,2	90,2	17	38	4,7	MK 20/1	1,33	H90Lb/6	6	70	
	0	17	38	4,7	MK 20D/1	1,33	H90Lb/6	6	80	




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
1,1 1,5	500	95	16	57	3	MK 20/1	2	H90Sa/4	4	68
	500	0	16	57	3	MK 20D/1	2	H90Sa/4	4	78
	614	117	13,6	47	4,2	MK 20/1	1,63	H90Sa/4	4	61
	614	0	13,6	47	4,2	MK 20D/1	1,63	H90Sa/4	4	71
	614	117	13,6	38	2,6	MK 10/1	3,26	H80b/2	2	42
	614	0	13,6	38	2,6	MK 10D/1	3,26	H80b/2	2	51
	660	120	13	30	1	MK 20	-	H90Lb/6	6	54
	660	0	13	30	1	MK 20D	-	H90Lb/6	6	64
	751,9	142,9	11	38	4,5	MK 20/1	1,33	H90Sa/4	4	68
	751,9	0	11	38	4,5	MK 20D/1	1,33	H90Sa/4	4	78
	1000	190	8,6	30	1	MK 20	-	H90Sa/4	4	51
	1000	0	8,6	30	1	MK 20D	-	H90Sa/4	4	61
	1177	224	7,1	19,7	5	MK 10/1	1,7	H80b/2	2	42
	1177	0	7,1	19,7	5	MK 10D/1	1,7	H80b/2	2	51
2000	380	5,8	12	1	MK 10	-	H80b/2	2	30	
2000	0	5,8	12	1	MK 10D	-	H80b/2	2	39	
1,5 2	22	3,9	495	1457	1	MK 30/2	30,67	H100La/6	6	126
	22	0	495	1457	1	MK 30D/2	30,67	H100La/6	6	151
	26	4,9	418	720	1	MK 20/2	38,25	H90Lb/4	4	69
	26	0	418	720	1	MK 20D/2	38,25	H90Lb/4	4	79
	28	5	388	1140	1,4	MK 30/2	24	H100La/6	6	126
	28	0	388	1140	1,4	MK 30D/2	24	H100La/6	6	151
	31	5,6	341	1003	1,4	MK 30/2	21,12	H100La/6	6	126
	31	0	341	1003	1,4	MK 30D/2	21,12	H100La/6	6	151
	33	6,2	335	800	1	MK 20/2	30,62	H90Lb/4	4	69
	33	0	335	800	1	MK 20D/2	30,62	H90Lb/4	4	79
	39	7,4	279	700	1	MK 20/2	25,5	H90Lb/4	4	69
	39	0	279	700	1	MK 20D/2	25,5	H90Lb/4	4	79
	40	7,2	267	785	1,9	MK 30/2	16,53	H100La/6	6	126
	40	0	267	785	1,9	MK 30D/2	16,53	H100La/6	6	151
	48	8,8	220	647	2,2	MK 30/2	13,63	H100La/6	6	126
	48	0	220	647	2,2	MK 30D/2	13,63	H100La/6	6	151
	49	9,3	223	582	1,4	MK 20/2	20,42	H90Lb/4	4	69
	49	0	223	582	1,4	MK 20D/2	20,42	H90Lb/4	4	79
	51	9,7	215	350	1	MK 10/2	39,09	H80c/2	2	66
	51	0	215	350	1	MK 10D/2	39,09	H80c/2	2	76
	52	9,9	211	720	1	MK 20/2	38,25	H90Sa/2	2	68
	52	0	211	720	1	MK 20D/2	38,25	H90Sa/2	2	78
	62	11,8	175	457	1,5	MK 20/2	16,03	H90Lb/4	4	69
	62	0	175	457	1,5	MK 20D/2	16,03	H90Lb/4	4	79
	62	11,2	172	505	2,8	MK 30/2	10,63	H100La/6	6	126
	62	0	172	505	2,8	MK 30D/2	10,63	H100La/6	6	151
	64	12,1	172	350	1	MK 10/2	31,27	H80c/2	2	41
	64	0	172	350	1	MK 10D/2	31,27	H80c/2	2	50
	65	12,4	169	727	1,1	MK 20/2	30,62	H90Sa/2	2	68
	65	0	169	727	1,1	MK 20D/2	30,62	H90Sa/2	2	78
	78	14,8	140	366	2	MK 20/2	12,83	H90Lb/4	4	69
	78	0	140	366	2	MK 20D/2	12,83	H90Lb/4	4	79
	78	14,9	141	606	1,1	MK 20/2	25,5	H90Sa/2	2	69
	78	0	141	606	1,1	MK 20D/2	25,5	H90Sa/2	2	78
	79	15	140	289	1,2	MK 10/2	25,32	H80c/2	2	41
	79	0	140	289	1,2	MK 10D/2	25,32	H80c/2	2	50
79	14,4	134	395	3,5	MK 30/2	8,32	H100La/6	6	126	
79	0	134	395	3,5	MK 30D/2	8,32	H100La/6	6	151	
98	18,6	113	485	1,6	MK 20/2	20,42	H90Sa/2	2	68	
98	0	113	485	1,6	MK 20D/2	20,42	H90Sa/2	2	78	
99	18,7	112	231	1,5	MK 10/2	20,25	H80c/2	2	41	
99	0	112	231	1,5	MK 10D/2	20,25	H80c/2	2	49	
102	18,4	105	309	4,5	MK 30/2	6,5	H100La/6	6	126	
102	0	105	309	4,5	MK 30D/2	6,5	H100La/6	6	151	
104	19,7	105	275	2,7	MK 20/2	9,64	H90Lb/4	4	69	
104	0	105	275	2,7	MK 20D/2	9,64	H90Lb/4	4	79	
110	20	99	291	1	MK 30/1	6	H100La/6	6	110	
110	0	99	291	1	MK 30D/1	6	H100La/6	6	135	
120	23	91	238	2,9	MK 20/2	8,34	H90Lb/4	4	69	
120	0	91	238	2,9	MK 20D/2	8,34	H90Lb/4	4	79	




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>1,5</b> <b>2</b>	123	23	90	186	1,9	MK 10/2	16,32	H80c/2	2	41
	123	0	90	186	1,9	MK 10D/2	16,32	H80c/2	2	50
	125	24	88	381	1,8	MK 20/2	16,03	H90Sa/2	2	68
	125	0	88	381	1,8	MK 20D/2	16,03	H90Sa/2	2	78
	130	24	82	241	5,8	MK 30/2	5,07	H100La/6	6	126
	130	0	82	241	5,8	MK 30D/2	5,07	H100La/6	6	151
	132	24	81	239	1,2	MK 30/1	5	H100La/6	6	110
	132	0	81	239	1,2	MK 30D/1	5	H100La/6	6	135
	133	25	84	150	1	MK 20/1	7,5	H90Lb/4	4	79
	133	0	84	150	1	MK 20D/1	7,5	H90Lb/4	4	79
	150	28	73	190	3,9	MK 20/2	6,68	H90Lb/4	4	69
	150	0	73	190	3,9	MK 20D/2	6,68	H90Lb/4	4	79
	153	29	72	149	2,3	MK 10/2	13,05	H80c/2	2	41
	153	29	72	149	2,3	MK 10D/2	13,05	H80c/2	2	50
	156	30	71	305	2,5	MK 20/2	12,83	H90Sa/2	2	68
	156	0	71	305	2,5	MK 20D/2	12,83	H90Sa/2	2	78
	160	29	68	200	1,7	MK 30/1	4,13	H100La/6	6	110
	160	0	68	200	1,7	MK 30D/1	4,13	H100La/6	6	135
	199	38	55	143	5,2	MK 20/2	5,02	H90Lb/4	4	69
	199	0	55	143	5,2	MK 20D/2	5,02	H90Lb/4	4	79
	200	38	56	146	1,4	MK 20/1	5	H90Lb/4	4	62
	200	0	56	146	1,4	MK 20D/1	5	H90Lb/4	4	72
	204	39	54	112	3,1	MK 10/2	9,79	H80c/2	2	41
	204	0	54	112	3,1	MK 10D/2	9,79	H80c/2	2	50
	208	39	53	229	3,3	MK 20/2	9,64	H90Sa/2	2	68
	208	0	53	229	3,3	MK 20D/2	9,64	H90Sa/2	2	78
	209,5	38,1	51	150	2,3	MK 30/1	3,15	H100La/6	6	110
	209,5	0	51	150	2,3	MK 30D/1	3,15	H100La/6	6	135
	235	45	47	97	3,3	MK 10/2	8,5	H80c/2	2	41
	235	0	47	97	3,3	MK 10D/2	8,5	H80c/2	2	50
	240	46	46	198	3,5	MK 20/2	8,34	H90Sa/2	2	68
	240	0	46	198	3,5	MK 20D/2	8,34	H90Sa/2	2	78
	247	45	44	129	3,1	MK 30/1	2,67	H100La/6	6	110
	247	0	44	129	3,1	MK 30D/1	2,67	H100La/6	6	135
	250	47,5	44	115	1,3	MK 20/1	4	H90Lb/4	4	62
	250	0	44	115	1,3	MK 20D/1	4	H90Lb/4	4	72
	256	49	44	90	1	MK 10/1	7,81	H80c/2	2	35
	256	0	44	90	1	MK 10D/1	7,81	H80c/2	2	44
	267	51	42	140	1	MK 20/1	7,5	H90Sa/2	2	61
	267	0	42	140	1	MK 20D/1	7,5	H90Sa/2	2	71
	294	56	38	78	4,5	MK 10/2	6,8	H80c/2	2	41
	294	0	38	78	4,5	MK 10D/2	6,8	H80c/2	2	50
299	57	37	159	4,7	MK 20/2	6,68	H90Sa/2	2	68	
299	0	37	159	4,7	MK 20D/2	6,68	H90Sa/2	2	78	
317	58	34	101	4	MK 30/1	2,08	H100La/6	6	110	
317	0	34	101	4	MK 30D/1	2,08	H100La/6	6	135	
319	61	35	91	2,2	MK 20/1	3,14	H90Lb/4	4	62	
319	0	35	91	2,2	MK 20D/1	3,14	H90Lb/4	4	72	
392	75	28	58	6	MK 10/2	5,1	H80c/2	2	41	
392	0	28	58	6	MK 10D/2	5,1	H80c/2	2	50	
395	75	29	59	1,5	MK 10/1	5,06	H80c/2	2	35	
395	0	29	59	1,5	MK 10D/1	5,06	H80c/2	2	44	
398	76	28	119	6,3	MK 20/2	5,02	H90Sa/2	2	68	
398	0	28	119	6,3	MK 20D/2	5,02	H90Sa/2	2	78	
400	76	28	121	1,6	MK 20/1	5	H90Sa/2	2	61	
400	0	28	121	1,6	MK 20D/1	5	H90Sa/2	2	71	
400	76	27	72	2,4	MK 20/1	2,5	H90Lb/4	4	62	
400	0	27	72	2,4	MK 20D/1	2,5	H90Lb/4	4	72	
496,2	90,2	22	64	5,4	MK 30/1	1,33	H100La/6	6	110	
496,2	0	22	64	5,4	MK 30D/1	1,33	H100La/6	6	135	
500	95	22	57	3	MK 20/1	2	H90Lb/4	4	62	
500	0	22	57	3	MK 20D/1	2	H90Lb/4	4	72	
500	95	22	96	1,3	MK 20/1	4	H90Sa/2	2	61	
500	0	22	96	1,3	MK 20D/1	4	H90Sa/2	2	71	
614	117	18,2	47	4,2	MK 20/1	1,63	H90Lb/4	4	62	
614	0	18,2	47	4,2	MK 20D/1	1,63	H90Lb/4	4	72	




MKF...










MK.../1










MK.../2




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig		
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm							
1,5 2	614 614	117 0	18,3 18,3	38 38	2,6 2,6	MK 10/1 MK 10D/1	3,26 3,26	H80c/2 H80c/2	2 2	35 44	
	637 637	121 0	17,7 17,7	76 76	2,6 2,6	MK 20/1 MK 20D/1	3,14 3,14	H90Sa/2 H90Sa/2	2 2	61 71	
	660 660	120 0	17 17	50 50	1 1	MK 30 MK 30D	- -	H100La/6 H100La/6	6 6	88 113	
	751,9 751,9	142,9 0	15 15	38 38	4,5 4,5	MK 20/1 MK 20D/1	1,33 1,33	H90Lb/4 H90Lb/4	4 4	62 72	
	800 800	152 0	14 14	60 60	2,2 2,2	MK 20/1 MK 20D/1	2,5 2,5	H90Sa/2 H90Sa/2	2 2	61 71	
	1000 1000	190 0	11,5 11,5	30 30	1 1	MK 20 MK 20D	- -	H90Lb/4 H90Lb/4	4 4	52 62	
	1000 1000	190 0	11 11	48 48	2,7 2,7	MK 20/1 MK 20D/1	2 2	H90Sa/2 H90Sa/2	2 2	61 71	
	1503,8 1503,8	285,7 0	7 7	32 32	4,1 4,1	MK 20/1 MK 20D/1	1,33 1,33	H90Sa/2 H90Sa/2	2 2	61 71	
	1177 1177	224 0	9,6 9,6	19,7 19,7	5 5	MK 10/1 MK 10D/1	1,7 1,7	H80c/2 H80c/2	2 2	35 44	
	1227 1227	233 0	9,2 9,2	40 40	5 5	MK 20/1 MK 20D/1	1,63 1,63	H90Sa/2 H90Sa/2	2 2	61 71	
	2000 2000	380 0	5,8 5,8	25 25	1 1	MK 20 MK 20D	- -	H90Sa/2 H90Sa/2	2 2	51 61	
	2000 2000	380 0	5,8 5,8	12 12	1 1	MK 10 MK 10D	- -	H80c/2 H80c/2	2 2	30 39	
	1,8 2,5	22 22	3,9 0	787 787	1456 1456	1 1	MK 30/2 MK 30D/2	30,67 30,67	H100Lb/6 H100Lb/6	6 6	130 155
		22 22	3,9 0	641 641	1550 1550	1 1	MK 50/2 MK 50D/2	30,67 30,67	H100Lb/6 H100Lb/6	6 6	135 160
26 26		4,9 0	502 502	720 720	1 1	MK 20/2 MK 20D/2	38,25 38,25	H90c/4 H90c/4	4 4	69 79	
28 28		5 0	502 502	1600 1600	1 1	MK 50/2 MK 50D/2	24 24	H100Lb/6 H100Lb/6	6 6	135 160	
28 28		5 0	616 616	1140 1140	1,4 1,4	MK 30/2 MK 30D/2	24 24	H100Lb/6 H100Lb/6	6 6	130 155	
31 31		5,6 0	441 441	1445 1445	1 1	MK 50/2 MK 50D/2	21,12 21,12	H100Lb/6 H100Lb/6	6 6	135 160	
31 31		5,6 0	542 542	1003 1003	1,4 1,4	MK 30/2 MK 30D/2	21,12 21,12	H100Lb/6 H100Lb/6	6 6	130 155	
33 33		6,2 0	402 402	800 800	1 1	MK 20/2 MK 20D/2	30,62 30,62	H90c/4 H90c/4	4 4	69 79	
39 39		7,4 0	335 335	800 800	1 1	MK 20/2 MK 20D/2	25,5 25,5	H90c/4 H90c/4	4 4	69 79	
40 40		7,2 0	424 424	785 785	1,9 1,9	MK 30/2 MK 30D/2	16,53 16,53	H100Lb/6 H100Lb/6	6 6	130 155	
40 40		7,2 0	346 346	1131 1131	1,3 1,3	MK 50/2 MK 50D/2	16,53 16,53	H100Lb/6 H100Lb/6	6 6	135 160	
48 48		8,8 0	350 350	647 647	2,2 2,2	MK 30/2 MK 30D/2	13,63 13,63	H100Lb/6 H100Lb/6	6 6	130 155	
48 48		8,8 0	285 285	932 932	1,5 1,5	MK 50/2 MK 50D/2	13,63 13,63	H100Lb/6 H100Lb/6	6 6	135 160	
49 49		9,3 0	268 268	582 582	1,4 1,4	MK 20/2 MK 20D/2	20,42 20,42	H90c/4 H90c/4	4 4	69 79	
62 62		11,2 0	273 273	505 505	2,8 2,8	MK 30/2 MK 30D/2	10,63 10,63	H100Lb/6 H100Lb/6	6 6	130 155	
62 62		11,2 0	222 222	727 727	1,9 1,9	MK 50/2 MK 50D/2	10,63 10,63	H100Lb/6 H100Lb/6	6 6	135 160	
62 62		11,8 0	210 210	457 457	1,5 1,5	MK 20/2 MK 20D/2	16,03 16,03	H90c/4 H90c/4	4 4	69 79	
78 78		14,8 0	168 168	366 366	2 2	MK 20/2 MK 20D/2	12,83 12,83	H90c/4 H90c/4	4 4	69 79	
79 79		14,4 0	213 213	395 395	3,5 3,5	MK 30/2 MK 30D/2	8,32 8,32	H100Lb/6 H100Lb/6	6 6	130 155	
79 79		14,4 0	174 174	569 569	2,5 2,5	MK 50/2 MK 50D/2	8,32 8,32	H100Lb/6 H100Lb/6	6 6	135 160	
102 102		18,4 0	167 167	309 309	4,5 4,5	MK 30/2 MK 30D/2	6,5 6,5	H100Lb/6 H100Lb/6	6 6	130 155	
102 102		18,4 0	136 136	445 445	3,1 3,1	MK 50/2 MK 50D/2	6,5 6,5	H100Lb/6 H100Lb/6	6 6	135 160	




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
1,8	104	19,7	126	275	2,7	MK 20/2	9,64	H90c/4	4	69
	104	0	126	275	2,7					
2,5	110	20	157	291	1	MK 30/1	6	H100Lb/6	6	113
	110	0	157	291	1					
	110	20	128	300	1	MK 50/1	6	H100Lb/6	6	117
	110	0	128	300	1					
	120	23	109	238	2,9	MK 20/2	4	H90c/4	4	69
	120	0	109	238	2,9					
	130	24	106	347	4	MK 50/2	5,07	H100Lb/6	6	135
	130	0	106	347	4					
	130	24	130	241	5,8	MK 30/2	5,07	H100Lb/6	6	130
	130	0	130	241	5,8					
	132	24	66	143	1,2	MK 20/1	5	H100Lb/6	6	53
	132	0	66	143	1,2					
	132	24	129	239	1,2	MK 30/1	5	H100Lb/6	6	113
	132	0	129	239	1,2					
	132	24	105	344	0,8	MK 50/1	5	H100Lb/6	6	117
	132	0	105	344	0,8					
	133	25	101	150	1	MK 20/2	7,5	H90c/4	4	69
	133	0	101	150	1					
	150	28	88	190	3,9	MK 20/2	6,68	H90c/4	4	69
	150	0	88	190	3,9					
	160	29	88	288	1,2	MK 50/2	4,13	H100Lb/6	6	135
	160	0	88	288	1,2					
	160	29	108	200	1,7	MK 30/2	4,13	H100Lb/6	6	130
	160	0	108	200	1,7					
	165	30	53	115	1,5	MK 20/1	4	H100Lb/6	6	53
	165	0	53	115	1,5					
	199	38	66	143	5,2	MK 20/2	5,02	H90c/4	4	69
	199	0	66	143	5,2					
	200	38	67	146	1,4	MK 20/1	5	H90c/4	4	63
	200	0	67	146	1,4					
	209,5	38,1	81	150	2,3	MK 30/1	3,15	H100Lb/6	6	113
	209,5	0	81	150	2,3					
	209,5	38,1	66	217	1,6	MK 50/1	3,15	H100Lb/6	6	117
	209,5	0	66	217	1,6					
	210,2	38,2	41	90	2	MK 20/1	3,14	H100Lb/6	6	53
	210,2	0	41	90	2					
	247	45	57	186	2,1	MK 50/1	2,67	H100Lb/6	6	117
	247	0	57	186	2,1					
	247	45	70	129	3,1	MK 30/1	2,67	H100Lb/6	6	113
	247	0	70	129	3,1					
	264	48	33	72	2,5	MK 20/1	2,5	H100Lb/6	6	53
	264	0	33	72	2,5					
	317	58	44	145	2,8	MK 50/1	2,08	H100Lb/6	6	117
	317	0	44	145	2,8					
	317	58	55	101	4	MK 30/1	2,08	H100Lb/6	6	113
	317	0	55	101	4					
	319	61	42	91	2,2	MK 20/1	3,14	H90c/4	4	63
	319	0	42	91	2,2					
	330	60	26	57	3,1	MK 20/1	2	H100Lb/6	6	53
	330	0	26	57	3,1					
	404,9	73,6	21	47	3,9	MK 20/1	1,63	H100Lb/6	6	53
	404,9	0	21	47	3,9					
	496,2	90,2	18	38	4,7	MK 20/1	1,33	H100Lb/6	6	53
	496,2	0	18	38	4,7					
	496,2	90,2	34	64	5,4	MK 30/1	1,33	H100Lb/6	6	113
	496,2	0	34	64	5,4					
	496,2	90,2	28	91	3,7	MK 50/1	1,33	H100Lb/6	6	117
	496,2	0	28	91	3,7					
	614	117	21,8	47	4,2	MK 20/1	1,63	H90c/4	4	63
	614	0	21,8	47	4,2					
	660	120	27	50	1	MK 30	-	H100Lb/6	6	87
	660	0	27	50	1					
	660	120	22	72	1	MK 50	-	H100Lb/6	6	90
	660	0	22	72	1					
	660	120	13,8	30	1	MK 20	-	H100Lb/6	6	53
	660	0	13,8	30	1					




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
2,2	22	3,9	758	1500	1	MK 50/2	30,67	H100Ma/6	6	138
	22	0	758	1500	1					
3	28	5	593	1600	1	MK 50/2	24	H100Ma/6	6	138
	28	0	593	1600	1					
	31	5,6	522	1445	1	MK 50/2	21,12	H100Ma/6	6	138
	31	0	522	1445	1					
	33	6,1	495	1457	1	MK 30/2	30,67	H100La/4	4	127
	33	0	495	1457	1					
	40	7,2	408	1131	1,3	MK 50/2	16,53	H100Ma/6	6	138
	40	0	408	1131	1,3					
	42	7,9	388	1140	1,4	MK 30/2	24	H100La/4	4	127
	42	0	388	1140	1,4					
	47	8,9	341	1003	1,4	MK 30/2	21,12	H100La/4	4	127
	47	0	341	1003	1,4					
	48	8,8	337	932	1,5	MK 50/2	13,63	H100Ma/6	6	138
	48	0	337	932	1,5					
	52	9,9	312	720	1	MK 20/2	38,25	H90Lb/2	2	70
	52	0	312	720	1					
	61	11,4	267	785	1,9	MK 30/2	16,53	H100La/4	4	76
	61	0	267	785	1,9					
	62	11,2	263	727	1,6	MK 50/2	10,63	H100Ma/6	6	138
	62	0	263	727	1,6					
	65	12,4	250	727	1,1	MK 20/2	30,62	H90Lb/2	2	70
	65	0	250	727	1,1					
	73	13,9	220	647	2,2	MK 30/2	13,63	H100La/4	4	127
	73	0	220	647	2,2					
	78	14,9	208	606	1,1	MK 20/2	25,5	H90Lb/2	2	70
	78	0	208	606	1,1					
	79	14,4	206	569	2,5	MK 50/2	8,32	H100Ma/6	6	138
	79	0	206	569	2,5					
	94	17,8	172	505	2,8	MK 30/2	10,63	H100La/4	4	127
	94	0	172	505	2,8					
	98	18,6	167	485	1,6	MK 20/2	20,42	H90Lb/2	2	70
	98	0	167	485	1,6					
	102	18,4	161	445	3,1	MK 50/2	6,5	H100Ma/6	6	138
	102	0	161	445	3,1					
	110	20	151	300	1	MK 50/1	6	H100Ma/6	6	120
	110	0	151	300	1					
	120	23	134	395	3,5	MK 30/2	8,32	H100La/4	4	127
	120	0	134	395	3,5					
	125	24	131	381	1,8	MK 20/2	16,03	H90Lb/2	2	70
	125	0	131	381	1,8					
	130	24	125	347	4	MK 50/2	5,07	H100Ma/6	6	138
	130	0	125	347	4					
	132	24	124	344	0,8	MK 50/1	5	H100Ma/6	6	120
	132	0	124	344	0,8					
	154	29	105	309	4,5	MK 30/2	6,5	H100La/4	4	127
	154	0	105	309	4,5					
	156	30	105	305	2,5	MK 20/2	12,83	H90Lb/2	2	70
	156	0	105	305	2,5					
	160	29	104	288	1,2	MK 50/1	4,13	H100Ma/6	6	120
	160	0	104	288	1,2					
	167	32	99	291	1	MK 30/1	6	H100La/4	4	110
	167	0	99	291	1					
	197	37	82	241	5,8	MK 30/2	5,07	H100La/4	4	127
	197	0	82	241	5,8					
	208	39	79	229	3,3	MK 20/2	9,64	H90Lb/2	2	70
	208	0	79	229	3,3					
	240	46	68	198	3,5	MK 20/2	8,34	H90Lb/2	2	70
	240	0	68	198	3,5					
	242	46	68	200	1,7	MK 30/1	4,13	H100La/4	4	110
	242	0	68	200	1,7					
	247	45	67	186	2,1	MK 50/1	2,67	H100Ma/6	6	120
	247	0	67	186	2,1					
	267	51	63	150	1	MK 20/1	7,5	H90Lb/2	2	70
	267	0	63	150	1					
	299	57	55	159	4,7	MK 20/2	6,68	H90Lb/2	2	70
	299	0	55	159	4,7					




MKF...




MK.../1




MK.../2




kW <sub>1</sub> HP <sub>1</sub>	max		min		min		max		sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm	M <sub>2</sub> Nm	M <sub>2</sub> Nm								
<b>2,2</b>	317	58	53	145	2,8	MK 50/1	2,08	H100Ma/6	6	120				
	317	0	53	145	2,8	MK 50D/1	2,08	H100Ma/6	6	145				
<b>3</b>	200	38	81	239	1,1	MK 30/1	5	H100La/4	4	110				
	200	0	81	239	1,1	MK 30D/1	5	H100La/4	4	135				
	209,5	38,1	78	217	1,6	MK 50/1	3,15	H100Ma/6	6	120				
	209,5	0	78	217	1,6	MK 50D/1	3,15	H100Ma/6	6	145				
	317,5	60,3	51	150	2	MK 30/1	3,15	H100La/4	4	110				
	317,5	0	51	150	2	MK 30D/1	3,15	H100La/4	4	135				
	375	71	44	129	3,1	MK 30/1	2,67	H100La/4	4	110				
	375	0	44	129	3,1	MK 30D/1	2,67	H100La/4	4	135				
	398	76	41	119	6,3	MK 20/2	5,02	H90Lb/2	2	70				
	398	0	41	119	6,3	MK 20D/2	5,02	H90Lb/2	2	80				
	400	76	42	121	1,6	MK 20/1	5	H90Lb/2	2	63				
	400	0	42	121	1,6	MK 20D/1	5	H90Lb/2	2	73				
	481	91	34	101	4	MK 30/1	2,08	H100La/4	4	110				
	481	0	34	101	4	MK 30D/1	2,08	H100La/4	4	135				
	496,2	90,2	33	91	3,7	MK 50/1	1,33	H100Ma/6	6	120				
	496,2	0	33	91	3,7	MK 50D/1	1,33	H100Ma/6	6	145				
	500	95	33	96	1,3	MK 20/1	4	H90Lb/2	2	63				
	500	0	33	96	1,3	MK 20D/1	4	H90Lb/2	2	73				
	637	121	26	76	1,7	MK 20/1	3,14	H90Lb/2	2	63				
	637	0	26	76	1,7	MK 20D/1	3,14	H90Lb/2	2	73				
	660	120	26	72	1	MK 50	-	H100Ma/6	6	102				
	660	0	26	72	1	MK 50D	-	H100Ma/6	6	127				
	751,9	142,9	22	64	4,6	MK 30/1	1,33	H100La/4	4	110				
	751,9	142,9	22	64	4,6	MK 30D/1	1,33	H100La/4	4	135				
	800	152	21	60	2,2	MK 20/1	2,5	H90Lb/2	2	63				
	800	0	21	60	2,2	MK 20D/1	2,5	H90Lb/2	2	73				
	1000	190	17	50	1	MK 30	-	H100La/4	4	84				
	1000	0	17	50	1	MK 30D	-	H100La/4	4	109				
	1000	190	16	48	2,7	MK 20/1	2	H90Lb/2	2	63				
	1000	0	16	48	2,7	MK 20D/1	2	H90Lb/2	2	73				
	1503,8	285,7	11	32	4,1	MK 20/1	1,33	H90Lb/2	2	63				
	1503,8	0	11	32	4,1	MK 20D/1	1,33	H90Lb/2	2	73				
	1227	233	13,6	40	5	MK 20/1	1,63	H90Lb/2	2	63				
	1227	0	13,6	40	5	MK 20D/1	1,63	H90Lb/2	2	73				
	2000	380	8,6	25	1	MK 20	-	H90Lb/2	2	53				
	2000	0	8,6	25	1	MK 20D	-	H90Lb/2	2	63				
<b>3</b>	20	3,6	1096	2800	1	MK 100/2	32,96	H132Sa/6	6	240				
	20	0	1096	2800	1	MK 100D/2	32,96	H132Sa/6	6	278				
<b>4</b>	25	4,5	877	3000	1	MK 100/2	26,38	H132Sa/6	6	240				
	25	0	877	3000	1	MK 100D/2	26,38	H132Sa/6	6	278				
	32	5,7	689	2700	1	MK 100/2	20,72	H132Sa/6	6	240				
	32	0	689	2700	1	MK 100D/2	20,72	H132Sa/6	6	278				
	33	6,1	670	1500	1	MK 50/2	30,67	H100Lb/4	4	135				
	33	0	670	1500	1	MK 50D/2	30,67	H100Lb/4	4	160				
	33	6,1	670	1457	1	MK 30/2	30,67	H100Lb/4	4	130				
	33	0	670	1457	1	MK 30D/2	30,67	H100Lb/4	4	155				
	40	7,2	552	2522	1,2	MK100/2	16,59	H132Sa/6	6	240				
	40	0	552	2522	1,2	MK 100D/2	16,59	H132Sa/6	6	278				
	42	7,9	524	1140	1,4	MK 30/2	24	H100Lb/4	4	130				
	42	0	524	1140	1,4	MK 30D/2	24	H100Lb/4	4	155				
	42	7,9	524	1600	1	MK 50/2	24	H100Lb/4	4	135				
	42	0	524	1600	1	MK 50D/2	24	H100Lb/4	4	160				
	47	8,9	462	1003	1,4	MK 30/2	21,12	H100Lb/4	4	130				
	47	0	462	1003	1,4	MK 30D/2	21,12	H100Lb/4	4	155				
	47	8,9	462	1445	1	MK 50/2	21,12	H100Lb/4	4	135				
	47	0	462	1445	1	MK 50D/2	21,12	H100Lb/4	4	160				
	48	8,7	455	2079	1,2	MK 100/2	13,68	H132Sa/6	6	240				
	48	0	455	2079	1,2	MK 100D/2	13,68	H132Sa/6	6	278				
	60	10,9	364	1664	1,7	MK 100/2	10,95	H132Sa/6	6	240				
	60	0	364	1664	1,7	MK 100D/2	10,95	H132Sa/6	6	278				
	61	11,4	361	785	1,9	MK 30/2	16,53	H100Lb/4	4	130				
	61	0	361	785	1,9	MK 30D/2	16,53	H100Lb/4	4	155				
	61	11,4	361	1131	1,3	MK 50/2	16,53	H100Lb/4	4	135				
	61	0	361	1131	1,3	MK 50D/2	16,53	H100Lb/4	4	160				




MKF...







MK.../1










MK.../2










kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>3</b>	73	13,9	298	647	2,2	MK 30/2	13,63	H100Lb/4	4	130
	73	0	298	647	2,2	MK 30D/2	13,63	H100Lb/4	4	155
<b>4</b>	73	13,9	298	932	1,5	MK 50/2	13,63	H100Lb/4	4	135
	73	0	298	932	1,5	MK 50D/2	13,63	H100Lb/4	4	160
	76	13,8	288	1318	2	MK 100/2	8,67	H132Sa/6	6	240
	76	0	288	1318	2	MK 100D/2	8,67	H132Sa/6	6	278
	94	17,8	232	727	1,9	MK 50/2	10,63	H100Lb/4	4	136
	94	0	232	727	1,9	MK 50D/2	10,63	H100Lb/4	4	160
	94	17,8	232	505	2,8	MK 30/2	10,63	H100Lb/4	4	130
	94	0	232	505	2,8	MK 30D/2	10,63	H100Lb/4	4	155
	95	17,2	231	1055	2,6	MK 100/2	6,94	H132Sa/6	6	240
	95	0	231	1055	2,6	MK 100D/2	6,94	H132Sa/6	6	278
	102	18,5	219	650	1	MK 100/1	6,46	H100Lb/4	4	160
	102	0	219	650	1	MK 100D/1	6,46	H100Lb/4	4	198
	120	23	182	569	2,5	MK 50/2	8,32	H100Lb/4	4	135
	120	0	182	569	2,5	MK 50D/2	8,32	H100Lb/4	4	160
	120	23	182	395	3,5	MK 30/2	8,32	H100Lb/4	4	130
	120	0	182	395	3,5	MK 30D/2	8,32	H100Lb/4	4	155
	127	23	173	792	3,5	MK 100/2	5,21	H132Sa/6	6	240
	127	0	173	792	3,5	MK 100D/2	5,21	H132Sa/6	6	278
	154	29	142	309	4,5	MK 30/2	6,5	H100Lb/4	4	130
	154	0	142	309	4,5	MK 30D/2	6,5	H100Lb/4	4	155
	154	29	142	445	3,1	MK 50/2	6,5	H100Lb/4	4	135
	154	0	142	445	3,1	MK 50D/2	6,5	H100Lb/4	4	160
	163	30	138	630	1,1	MK 100/1	4,06	H132Sa/6	6	240
	163	0	138	630	1,1	MK 100D/1	4,06	H132Sa/6	6	278
	167	32	134	291	1	MK 30/1	6	H100Lb/4	4	130
	167	0	134	291	1	MK 30D/1	6	H100Lb/4	4	155
	167	32	134	300	1	MK 50/1	6	H100Lb/4	4	135
	167	0	134	300	1	MK 50D/1	6	H100Lb/4	4	160
	197	37	111	347	4	MK 50/2	5,07	H100Lb/4	4	135
	197	0	111	347	4	MK 50D/2	5,07	H100Lb/4	4	160
	197	37	111	241	5,8	MK 30/2	5,07	H100Lb/4	4	130
	197	0	111	241	5,8	MK 30D/2	5,07	H100Lb/4	4	155
	200	38	110	239	1,1	MK 30/1	5	H100Lb/4	4	130
	200	0	110	239	1,1	MK 30D/1	5	H100Lb/4	4	135
	200	38	110	344	0,8	MK 50/1	5	H100Lb/4	4	135
	200	0	110	344	0,8	MK 50D/1	5	H100Lb/4	4	160
	242	46	92	288	1,2	MK 50/1	4,13	H100Lb/4	4	135
	242	0	92	288	1,2	MK 50D/1	4,13	H100Lb/4	4	160
	242	46	92	200	1,7	MK 30/1	4,13	H100Lb/4	4	130
	242	0	92	200	1,7	MK 30D/1	4,13	H100Lb/4	4	155
	246	45	91	416	1,7	MK 100/1	2,68	H132Sa/6	6	185
	246	0	91	416	1,7	MK 100D/1	2,68	H132Sa/6	6	223
	317,5	60,3	69	150	2	MK 30/1	3,15	H100Lb/4	4	130
	317,5	0	69	150	2	MK 30D/1	3,15	H100Lb/4	4	135
	317,5	60,3	69	217	1,4	MK 50/1	3,15	H100Lb/4	4	135
	317,5	0	69	217	1,4	MK 50D/1	3,15	H100Lb/4	4	160
	375	71	60	186	2,1	MK 50/1	2,67	H100Lb/4	4	135
	375	0	60	186	2,1	MK 50D/1	2,67	H100Lb/4	4	160
	375	71	60	129	3,1	MK 30/1	2,67	H100Lb/4	4	130
	375	0	60	129	3,1	MK 30D/1	2,67	H100Lb/4	4	155
	388	71	58	264	2,3	MK 100/1	1,7	H132Sa/6	6	240
	388	0	58	264	2,3	MK 100D/1	1,7	H132Sa/6	6	278
	481	91	46	101	4	MK 30/1	2,08	H100Lb/4	4	130
	481	0	46	101	4	MK 30D/1	2,08	H100Lb/4	4	155
	481	91	46	145	2,8	MK 50/1	2,08	H100Lb/4	4	135
	481	0	46	145	2,8	MK 50D/1	2,08	H100Lb/4	4	160
	666	120	35	160	1	MK 100	-	H132Sa/6	6	155
	666	0	35	160	1	MK 100D	-	H132Sa/6	6	193
	751,9	142,9	29	64	4,6	MK 30/1	1,33	H100Lb/4	4	130
	751,9	0	29	64	4,6	MK 30D/1	1,33	H100Lb/4	4	135
	751,9	142,9	29	91	3,2	MK 50/1	1,33	H100Lb/4	4	135
	751,9	0	29	91	3,2	MK 50D/1	1,33	H100Lb/4	4	160
	1000	190	23	50	1	MK 30	-	H100Lb/4	4	88
	1000	0	23	50	1	MK 30D	-	H100Lb/4	4	113
	1000	190	23	72	1	MK 50	-	H100Lb/4	4	90
	1000	0	23	72	1	MK 50D	-	H100Lb/4	4	115







kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>4</b>	20	3,6	1503	2800	1	MK 100/2	32,96	H132Mb/6	6	250
	20	0	1503	2800	1	MK 100D/2	32,96	H132Mb/6	6	288
<b>5,5</b>	25	4,5	1203	3000	1	MK 100/2	26,38	H132Mb/6	6	250
	25	0	1203	3000	1	MK 100D/2	26,38	H132Mb/6	6	288
	32	5,7	945	2700	1	MK 100/2	20,72	H132Mb/6	6	250
	32	0	945	2700	1	MK 100D/2	20,72	H132Mb/6	6	288
	33	6,1	903	1500	1	MK 50/2	30,67	H112Mb/4	4	146
	33	0	903	1500	1	MK 50D/2	30,67	H112Mb/4	4	171
	40	7,2	757	2522	1,2	MK 100/2	16,59	H132Mb/6	6	250
	40	0	757	2522	1,2	MK 100D/2	16,59	H132Mb/6	6	288
	42	7,9	707	1600	1	MK 50/2	24	H112Mb/4	4	146
	42	0	707	1600	1	MK 50D/2	24	H112Mb/4	4	171
	47	8,9	622	1445	1	MK 50/2	21,12	H112Mb/4	4	146
	47	0	622	1445	1	MK 50D/2	21,12	H112Mb/4	4	171
	48	8,7	624	2079	1,2	MK 100/2	13,68	H132Mb/6	6	250
	48	0	624	2079	1,2	MK 100D/2	13,68	H132Mb/6	6	288
	60	10,9	499	1664	1,7	MK 100/2	10,95	H132Mb/6	6	250
	60	0	499	1664	1,7	MK 100D/2	10,95	H132Mb/6	6	288
	61	11,4	487	1131	1,3	MK 50/2	16,53	H112Mb/4	4	146
	61	0	487	1131	1,3	MK 50D/2	16,53	H112Mb/4	4	171
	73	13,9	401	932	1,6	MK 50/2	13,63	H112Mb/4	4	146
	73	0	401	932	1,6	MK 50D/2	13,63	H112Mb/4	4	171
	76	13,8	395	1318	2	MK 100/2	8,67	H132Mb/6	6	250
	76	0	395	1318	2	MK 100D/2	8,67	H132Mb/6	6	288
	94	17,8	313	727	1,9	MK 50/2	10,63	H112Mb/4	4	146
	94	0	313	727	1,9	MK 50D/2	10,63	H112Mb/4	4	171
	95	17,2	317	1055	2,6	MK 100/2	6,94	H132Mb/6	6	250
	95	0	317	1055	2,6	MK 100D/2	6,94	H132Mb/6	6	288
	102	18,5	301	650	1	MK 100/1	6,46	H132Mb/6	6	195
	102	0	301	650	1	MK 100D/1	6,46	H132Mb/6	6	233
	120	23	245	569	2,5	MK 50/2	8,32	H112Mb/4	4	146
	120	0	245	569	2,5	MK 50D/2	8,32	H112Mb/4	4	171
	127	23	238	792	3,5	MK 100/2	5,21	H132Mb/6	6	250
	127	0	238	792	3,5	MK 100D/2	5,21	H132Mb/6	6	288
	146,7	26,7	206	688	0,7	MK 100/1	4,5	H132Mb/6	6	195
	146,7	0	206	688	0,7	MK 100D/1	4,5	H132Mb/6	6	233
	154	29	191	445	3,1	MK 50/2	6,5	H112Mb/4	4	146
	154	0	191	445	3,1	MK 50D/2	6,5	H112Mb/4	4	171
	163	30	189	630	1,1	MK 100/1	4,06	H132Mb/6	6	195
	163	0	189	630	1,1	MK 100D/1	4,06	H132Mb/6	6	233
	167	32	180	300	1	MK 50/1	6	H112Mb/4	4	140
	167	0	180	300	1	MK 50D/1	6	H112Mb/4	4	152
	197	37	149	347	4	MK 50/2	5,07	H112Mb/4	4	146
	197	0	149	347	4	MK 50D/2	5,07	H112Mb/4	4	171
	200	38	148	344	0,8	MK 50/1	5	H112Mb/4	4	140
	200	0	148	344	0,8	MK 50D/1	5	H112Mb/4	4	152
	202,5	36,8	149	498	1,1	MK 100/1	3,26	H132Mb/6	6	195
	202,5	0	149	498	1,1	MK 100D/1	3,26	H132Mb/6	6	233
	242	46	124	288	1,2	MK 50/1	4,13	H112Mb/4	4	140
	242	0	124	288	1,2	MK 50D/1	4,13	H112Mb/4	4	152
	246	45	125	416	1,7	MK 100/1	2,68	H132Mb/6	6	195
	246	0	125	416	1,7	MK 100D/1	2,68	H132Mb/6	6	233
	317,5	60,3	93	217	1,4	MK 50/1	3,15	H112Mb/4	4	140
	317,5	0	93	217	1,4	MK 50D/1	3,15	H112Mb/4	4	152
	330	60	92	306	1,7	MK 100/1	2	H132Mb/6	6	195
	330	0	92	306	1,7	MK 100D/1	2	H132Mb/6	6	233
	375	71	80	186	2,1	MK 50/1	2,67	H112Mb/4	4	140
	375	0	80	186	2,1	MK 50D/1	2,67	H112Mb/4	4	152
	388	71	79	264	2,3	MK 100/1	1,7	H132Mb/6	6	195
	388	0	79	264	2,3	MK 100D/1	1,7	H132Mb/6	6	233
	481	91	63	145	2,8	MK 50/1	2,08	H112Mb/4	4	140
	481	0	63	145	2,8	MK 50D/1	2,08	H112Mb/4	4	152
	496,2	90,2	61	203	2,5	MK 100/1	1,33	H132Mb/6	6	195
	496,2	0	61	203	2,5	MK 100D/1	1,33	H132Mb/6	6	233
	660	120	48	160	1	MK 100	-	H132Mb/6	6	160
	660	0	48	160	1	MK 100D	-	H132Mb/6	6	198
	751,9	142,9	39	91	3,2	MK 50/1	1,33	H112Mb/4	4	140
	751,9	0	39	91	3,2	MK 50D/1	1,33	H112Mb/4	4	152
	1000	190	31	72	1	MK 50	-	H112Mb/4	4	100
	1000	0	31	72	1	MK 50D	-	H112Mb/4	4	125




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
5,5	20	3,6	2035	2800	1	MK 100/ 2	32,96	H132Mc/6	6	255
	20	0	2035	2800	1	MK 100D/2	32,96	H132Mc/6	6	293
7,5	25	4,5	1629	3000	1	MK 100/2	26,38	H132Mc/6	6	255
	25	0	1629	3000	1	MK 100D/2	26,38	H132Mc/6	6	293
	30	5,7	1346	2800	1	MK 100/2	32,96	H132Sa/4	4	240
	30	0	1346	2800	1	MK 100D/2	32,96	H132Sa/4	4	278
	32	5,7	1280	2700	1	MK 100/2	20,72	H132Mc/6	6	250
	32	0	1280	2700	1	MK 100D/2	20,72	H132Mc/6	6	288
	38	7,2	1078	3000	1	MK 100/2	26,38	H132Sa/4	4	240
	38	0	1078	3000	1	MK 100D/2	26,38	H132Sa/4	4	278
	40	7,2	1024	2522	1,2	MK 100/2	16,59	H132Mc/6	6	255
	40	0	1024	2522	1,2	MK 100D/2	16,59	H132Mc/6	6	293
	48	8,7	845	2079	1,2	MK 100/2	13,68	H132Mc/6	6	255
	48	0	845	2079	1,2	MK 100D/2	13,68	H132Mc/6	6	293
	48	9,2	846	2700	1	MK 100/2	20,72	H132Sa/4	4	240
	48	0	846	2700	1	MK 100D/2	20,72	H132Sa/4	4	278
	60	11,4	678	2522	1,2	MK 100/2	16,59	H132Sa/4	4	240
	60	0	678	2522	1,2	MK 100D/2	16,59	H132Sa/4	4	278
	60	10,9	676	1664	1,7	MK 100/2	10,95	H132Mc/6	6	255
	60	0	676	1664	1,7	MK 100D/2	10,95	H132Mc/6	6	293
	73	13,8	559	2079	1,2	MK 100/2	13,68	H132Sa/4	4	240
	73	0	559	2079	1,2	MK 100D/2	13,68	H132Sa/4	4	278
	76	13,8	535	1318	2	MK 100/2	8,67	H132Mc/6	6	255
	76	0	535	1318	2	MK 100D/2	8,67	H132Mc/6	6	293
	91	17,3	447	1664	1,7	MK 100/2	10,95	H132Sa/4	4	250
	91	0	447	1664	1,7	MK 100D/2	10,95	H132Sa/4	4	278
	95	17,2	429	1055	2,6	MK 100/2	6,94	H132Mc/6	6	255
	95	0	429	1055	2,6	MK 100D/2	6,94	H132Mc/6	6	293
	102	18,5	407	650	1	MK 100/1	6,46	H132Mc/6	6	200
	102	0	407	650	1	MK 100D/1	6,46	H132Mc/6	6	238
	115	22	354	1318	2	MK 100/2	8,67	H132Sa/4	4	240
	115	0	354	1318	2	MK 100D/2	8,67	H132Sa/4	4	278
	127	23	322	792	3,5	MK 100/2	5,21	H132Mc/6	6	255
	127	0	322	792	3,5	MK 100D/2	5,21	H132Mc/6	6	293
	144	27	284	1055	2,6	MK 100/2	6,94	H132Sa/4	4	240
	144	0	284	1055	2,6	MK 100D/2	6,94	H132Sa/4	4	278
	146,7	26,7	279	688	0,7	MK 100/1	4,5	H132Mc/6	6	200
	146,7	0	279	688	0,7	MK 100D/1	4,5	H132Mc/6	6	238
	155	29	269	650	1	MK 100/1	6,46	H132Sa/4	4	185
	155	0	269	650	1	MK 100D/1	6,46	H132Sa/4	4	223
	163	30	256	630	1,1	MK 100/1	4,06	H132Mc/6	6	200
	163	0	256	630	1,1	MK 100D/1	4,06	H132Mc/6	6	238
	192	36	213	792	3,5	MK 100/2	5,21	H132Sa/4	4	240
	192	0	213	792	3,5	MK 100D/2	5,21	H132Sa/4	4	278
	202,5	36,8	202	498	1,1	MK 100/1	3,26	H132Mc/6	6	200
	202,5	0	202	498	1,1	MK 100D/1	3,26	H132Mc/6	6	238
	222,2	42,2	185	688	0,6	MK 100/1	4,5	H132Sa/4	4	185
	222,2	0	185	688	0,6	MK 100D/1	4,5	H132Sa/4	4	223
	246	45	169	416	1,7	MK 100/1	2,68	H132Mc/6	6	200
	246	0	169	416	1,7	MK 100D/1	2,68	H132Mc/6	6	238
	246	47	169	630	1,1	MK 100/1	4,06	H132Sa/4	4	185
	246	0	169	630	1,1	MK 100D/1	4,06	H132Sa/4	4	223
	306,7	58,3	134	498	0,9	MK 100/1	3,26	H132Sa/4	4	185
	306,7	0	134	498	0,9	MK 100D/1	3,26	H132Sa/4	4	223
	330	60	124	306	1,7	MK 100/1	2	H132Mc/6	6	200
	330	0	124	306	1,7	MK 100D/1	2	H132Mc/6	6	238
	373	71	112	416	1,7	MK 100/1	2,68	H132Sa/4	4	185
	373	0	112	416	1,7	MK 100D/1	2,68	H132Sa/4	4	223
	388	71	107	264	2,3	MK 100/1	1,7	H132Mc/6	6	200
	388	0	107	264	2,3	MK 100D/1	1,7	H132Mc/6	6	238
	496,2	90,2	83	203	2,5	MK 100/1	1,33	H132Mc/6	6	200
	496,2	0	83	203	2,5	MK 100D/1	1,33	H132Mc/6	6	238
	500	95	82	306	1,5	MK 100/1	2	H132Sa/4	4	185
	500	0	82	306	1,5	MK 100D/1	2	H132Sa/4	4	223
	588	112	71	264	2,3	MK 100/1	1,7	H132Sa/4	4	185
	588	0	71	264	2,3	MK 100D/1	1,7	H132Sa/4	4	223




kW <sub>1</sub> HP <sub>1</sub>	max	min	min	max	sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>5,5</b>	666	120	65	160	1	<b>MK 100</b>	-	H132Mc/6	6	165
	666	0	65	160	1	<b>MK 100D</b>	-	H132Sa/4	6	203
<b>7,5</b>	751,9	142,9	55	203	2,1	<b>MK 100/1</b>	<b>1,33</b>	H132Sa/4	4	185
	751,9	0	55	203	2,1	<b>MK 100D/1</b>	<b>1,33</b>	H132Sa/4	4	223
	1000	190	43	160	1	<b>MK 100</b>	-	H132Sa/4	4	150
	1000	0	43	160	1	<b>MK 100D</b>	-	H132Sa/4	4	188
<b>7,5</b>	30	5,7	1816	2800	1	<b>MK 100/2</b>	<b>32,96</b>	H132Mb/4	4	250
	30	0	1816	2800	1	<b>MK 100D/2</b>	<b>32,96</b>	H132Mb/4	4	288
<b>10</b>	38	7,2	1454	3000	1	<b>MK 100/2</b>	<b>26,38</b>	H132Mb/4	4	250
	38	0	1454	3000	1	<b>MK 100D/2</b>	<b>26,38</b>	H132Mb/4	4	288
	48	9,2	1142	2700	1	<b>MK 100/2</b>	<b>20,72</b>	H132Mb/4	4	250
	48	0	1142	2700	1	<b>MK 100D/2</b>	<b>20,72</b>	H132Mb/4	4	288
	60	11,4	914	2522	1,2	<b>MK 100/2</b>	<b>16,59</b>	H132Mb/4	4	250
	60	0	914	2522	1,2	<b>MK 100D/2</b>	<b>16,59</b>	H132Mb/4	4	288
	73	13,8	754	2079	1,2	<b>MK 100/2</b>	<b>13,68</b>	H132Mb/4	4	250
	73	0	754	2079	1,2	<b>MK 100D/2</b>	<b>13,68</b>	H132Mb/4	4	288
	91	17,3	603	1664	1,7	<b>MK 100/2</b>	<b>10,95</b>	H132Mb/4	4	250
	91	0	603	1664	1,7	<b>MK 100D/2</b>	<b>10,95</b>	H132Mb/4	4	288
	115	22	477	1318	2	<b>MK 100/2</b>	<b>8,67</b>	H132Mb/4	4	250
	115	0	477	1318	2	<b>MK 100D/2</b>	<b>8,67</b>	H132Mb/4	4	288
	144	27	382	1055	2,6	<b>MK 100/2</b>	<b>6,94</b>	H132Mb/4	4	250
	144	0	382	1055	2,6	<b>MK 100D/2</b>	<b>6,94</b>	H132Mb/4	4	288
	155	29	363	650	1	<b>MK 100/1</b>	<b>6,46</b>	H132Mb/4	4	195
	155	0	363	650	1	<b>MK 100D/1</b>	<b>6,46</b>	H132Mb/4	4	233
	192	36	287	792	3,5	<b>MK 100/2</b>	<b>5,21</b>	H132Mb/4	4	250
	192	0	287	792	3,5	<b>MK 100D/2</b>	<b>5,21</b>	H132Mb/4	4	288
	222,2	42,2	249	688	0,6	<b>MK 100/1</b>	<b>4,5</b>	H132Mb/4	4	195
	222,2	0	249	688	0,6	<b>MK 100D/1</b>	<b>4,5</b>	H132Mb/4	4	233
	246	47	228	630	1,1	<b>MK 100/1</b>	<b>4,06</b>	H132Mb/4	4	195
	246	0	228	630	1,1	<b>MK 100D/1</b>	<b>4,06</b>	H132Mb/4	4	233
	306,7	58,3	181	498	0,9	<b>MK 100/1</b>	<b>3,26</b>	H132Mb/4	4	195
	306,7	0	181	498	0,9	<b>MK 100D/1</b>	<b>3,26</b>	H132Mb/4	4	233
	373	71	151	416	1,7	<b>MK 100/1</b>	<b>2,68</b>	H132Mb/4	4	195
	373	0	151	416	1,7	<b>MK 100D/1</b>	<b>2,68</b>	H132Mb/4	4	233
	500	95	111	306	1,5	<b>MK 100/1</b>	<b>2</b>	H132Mb/4	4	195
	500	0	111	306	1,5	<b>MK 100D/1</b>	<b>2</b>	H132Mb/4	4	233
	588	112	96	264	2,3	<b>MK 100/1</b>	<b>1,7</b>	H132Mb/4	4	195
	588	0	96	264	2,3	<b>MK 100D/1</b>	<b>1,7</b>	H132Mb/4	4	233
	751,9	142,9	74	203	2,1	<b>MK 100/1</b>	<b>1,33</b>	H132Mb/4	4	195
	751,9	0	74	203	2,1	<b>MK 100D/1</b>	<b>1,33</b>	H132Mb/4	4	233
	1000	190	58	160	1	<b>MK 100</b>	-	H132Mb/4	4	160
	1000	0	58	160	1	<b>MK 100D</b>	-	H132Mb/4	4	198




MKF...



MK.../1



MK.../2



kW <sub>1</sub> HP <sub>1</sub>	max		min		sf		i		Poli Poles Polig	
	n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> Nm						
<b>9,2</b> <b>12,5</b>	38	7,2	1804	3000	1	MK 100/2	26,38	H132Mc/4	4	255
	38	0	1804	3000	1	MK 100D/2	26,38	H132Mc/4	4	293
	48	9,2	1417	2700	1	MK 100/2	20,72	H132Mc/4	4	255
	48	0	1417	2700	1	MK 100D/2	20,72	H132Mc/4	4	293
	60	11,4	1135	2522	1,2	MK 100/2	16,59	H132Mc/4	4	255
	60	0	1135	2522	1,2	MK 100D/2	16,59	H132Mc/4	4	293
	73	13,8	936	2079	1,2	MK 100/2	13,68	H132Mc/4	4	255
	73	0	936	2079	1,2	MK 100D/2	13,68	H132Mc/4	4	293
	91	17,3	749	1664	1,7	MK 100/2	10,95	H132Mc/4	4	255
	91	0	749	1664	1,7	MK 100D/2	10,95	H132Mc/4	4	293
	115	22	593	1318	2	MK 100/2	8,67	H132Mc/4	4	255
	115	0	593	1318	2	MK 100D/2	8,67	H132Mc/4	4	293
	144	27	475	1055	2,6	MK 100/2	6,94	H132Mc/4	4	255
	144	0	475	1055	2,6	MK 100D/2	6,94	H132Mc/4	4	293
	192	36	356	792	3,5	MK 100/2	5,21	H132Mc/4	4	255
	192	0	356	792	3,5	MK 100D/2	5,21	H132Mc/4	4	293
	222,2	42,2	309	688	0,6	MK 100/1	4,5	H132Mc/4	4	200
	222,2	0	309	688	0,6	MK 100D/1	4,5	H132Mc/4	4	238
	246	47	284	630	1,1	MK 100/1	4,06	H132Mc/4	4	200
	246	0	284	630	1,1	MK 100D/1	4,06	H132Mc/4	4	238
306,7	58,3	224	498	0,9	MK 100/1	3,26	H132Mc/4	4	200	
306,7	0	224	498	0,9	MK 100D/1	3,26	H132Mc/4	4	238	
373	71	187	416	1,7	MK 100/1	2,68	H132Mc/4	4	200	
373	0	187	416	1,7	MK 100D/1	2,68	H132Mc/4	4	238	
500	95	138	306	1,5	MK 100/1	2	H132Mc/4	4	200	
500	0	138	306	1,5	MK 100D/1	2	H132Mc/4	4	238	
588	112	119	264	2,3	MK 100/1	1,7	H132Mc/4	4	200	
588	0	119	264	2,3	MK 100D/1	1,7	H132Mc/4	4	238	
751,9	142,9	91	203	2,1	MK 100/1	1,33	H132Mc/4	4	200	
751,9	0	91	203	2,1	MK 100D/1	1,33	H132Mc/4	4	238	
1000	190	72	160	1	MK 100	-	H132Mc/4	4	165	
1000	0	72	160	1	MK 100D	-	H132Mc/4	4	203	
<b>11</b> <b>15</b>	38	7,2	2155	3000	1	MK 100/2	26,38	H132Md/4	4	260
	38	0	2155	3000	1	MK 100D/2	26,38	H132Md/4	4	298
	48	9,2	1693	2700	1	MK 100/2	20,72	H132Md/4	4	260
	48	0	1693	2700	1	MK 100D/2	20,72	H132Md/4	4	298
	60	11,4	1355	2521	1,2	MK 100/2	16,59	H132Md/4	4	260
	60	0	1355	2521	1,2	MK 100D/2	16,59	H132Md/4	4	298
	73	13,8	1118	2079	1,2	MK 100/2	13,68	H132Md/4	4	260
	73	0	1118	2079	1,2	MK 100D/2	13,68	H132Md/4	4	298
	91	17,3	895	1664	1,7	MK 100/2	10,95	H132Md/4	4	260
	91	0	895	1664	1,7	MK 100D/2	10,95	H132Md/4	4	298
	115	22	708	1318	2	MK 100/2	8,67	H132Md/4	4	260
	115	0	708	1318	2	MK 100D/2	8,67	H132Md/4	4	298
	144	27	567	1055	2,6	MK 100/2	6,94	H132Md/4	4	260
	144	0	567	1055	2,6	MK 100D/2	6,94	H132Md/4	4	298
	192	36	426	792	3,5	MK 100/2	5,21	H132Md/4	4	260
	192	0	426	792	3,5	MK 100D/2	5,21	H132Md/4	4	298
	246	47	339	630	1,1	MK 100/1	4,06	H132Md/4	4	205
	246	0	339	630	1,1	MK 100D/1	4,06	H132Md/4	4	243
	373	71	224	416	1,7	MK 100/1	2,68	H132Md/4	4	205
	373	0	224	416	1,7	MK 100D/1	2,68	H132Md/4	4	243
588	112	142	264	2,3	MK 100/1	1,7	H132Md/4	4	205	
588	0	142	264	2,3	MK 100D/1	1,7	H132Md/4	4	298	
1000	190	86	160	1	MK 100	-	H132Md/4	4	170	
1000	0	86	160	1	MK 100D	-	H132Md/4	4	208	